

THE UK'S BIGGEST ONLINE RANGE OF EASY FIT INTERIOR MOULDINGS.





THE BEAUTY OF PLASTER, WITHOUT THE DRAWBACKS.

Modern materials have transformed the world of interior mouldings in recent years. Now, the beauty and fine detailing of plaster mouldings can be replicated in materials that are installed in a fraction of the time, and with less hassle and cost. We have more products made from these materials than any other UK based online company.

But, we have no axe to grind as we also offer a range of the finest quality plaster mouldings. Or, if you're just looking for something that 'does the job' at a cheap price, we have plenty of options here, too.

Generally our products fall into one of the following three broad categories:

HIGH GRADE POLYMERS

The majority of our ranges are made from high grade polymer materials. These look just like plaster in that they have a similar surface texture and similar detailing in the mould. Unlike plaster they are lightweight and are not brittle, which makes them much more easy to install, and less prone to damage. They are pre-primed to require just one coat of paint, whereas plaster soaks up several. In short, they install in between a third and half the time of plaster. They are also water and humidity resistant, so can be used in bathrooms, or even externally.

LOW GRADE POLYMERS

Our budget ranges are made from lower grade polymers, like polystyrene. These are less dense than higher grade polymers, and often do not boast the same crispness of detail, but they are hard to beat on price. They are lightweight, not brittle and generally pre-primed, so like the higher grade polymers, are much quicker and easier to install than plaster.

PLASTER

Our plaster mouldings are made from the finest dense plaster and boast deep, crisp moulds. (Beware of cheap plaster as this is usually powdery and easily shattered.) We are also one of the few companies that can deliver plaster products virtually anywhere in the UK. All our plaster mouldings are specifically identified as plaster in the brochure and on the website.

FRONT COVER
PREMIER CORNICE 10 WITH DENTIL FEATURE. PREMIER RAILING 6 (AS DADO). PREMIER RAILING 2 & SQUARE 3 (AS FAUX PANELS). RAISED PANELS 3 & 5 (AS WAINSCOT). CEILING ROSE 9.

PREVIOUS PAGE
PREMIER CORNICE 35. PREMIER CORNICE 33 & PREMIER RAILING 2 (AS ARCHITRAVE).
PREMIER RAILING 28 (AS FAUX PANELS).

INDEX

Cornice	06
Wall Panelling	32
Railing, Architrave & Skirting Boards	40
Ceiling Features	51
Other Architectural Features	58
Beams, Joists & Planks	68
Columns and Exterior Mouldings	71

ADHESIVES GUIDE

Throughout this brochure we indicate which of our adhesives should be used with which products. They have been developed for use with each range. If you have any queries please call us, but you will see them grouped as follows:

Fix Pro, Fix Hydro and Fix Extra. Use Fix Pro to attach to wall/ceiling, or Fix Hydro in wet or damp areas, like onto wet plaster or in bathrooms, or in temperatures under 6 degrees. Please note, if you are in any doubt about the temperature on installation, or whether the plaster is fully dry, play safe and use Fix Hydro.

Fix Extra is to be used on the joints to ensure there is no movement in them over time. Use decorators caulk as filler. NB. Fix Extra cannot be used with Budget ranges.

Decor Grip, Hybrid and Decor Grip Plus. Use Decor Grip to attach to wall/ceiling in dry areas, or Hybrid in wet or damp areas or in temperatures under 6 degrees. Use Decor Grip Plus on joints to ensure there is no movement in them over time. Use decorators caulk as filler. NB. Decor Grip Plus cannot be used with Budget ranges.

Plaster Adhesive and Plaster Filler. For use with plaster products.

CORNICE

We have more easy fit cornice designs than any other UK based online company. And we have the highest quality plaster, and budget polystyrene ranges, too. Whatever you're looking for, you should find it here. If you need any help, or if you want samples, please give us a call.

CLASSIC CORNICE

The beauty of plaster without the drawbacks.

- Perfect for DIY.
- Lightweight - one person can install.
- Fit in a fraction of the time of plaster.
- Durable and shock resistant.
- Pre-primed surface requires only one coat of paint.
- Water resistant - suitable for use in bathrooms and kitchens.
- 2m lengths and some 2.6m (see price list).
- Use Fix Pro or Fix Hydro and Fix Extra adhesives.

Produced by extrusion for keen pricing.

Curved walls? Some of our Classic Cornices are available in an optional flexible material that can bend to concave or convex wall shapes. Where a flexible option exists, you will see an italicised minimum radius dimension under the product.

Classic Cornice 16

Height: 2.5cm, Projection: 1.5cm

Classic Cornice 17

Height: 3cm, Projection: 3cm

Classic Cornice 19

Height: 3cm, Projection: 3cm

Classic Cornice 23, 24 & 25

Height: 4cm, Projection: 2.5cm

Classic Cornice 20, 21 & 22

Height: 4.5cm, Projection: 3cm
Flexible option min. radius (Cl. Cornice 20 only): 1.8m

Classic Cornice 18

Height: 4.5cm, Projection: 4cm
Flexible option min. radius: 1.8m

Classic Cornice 1

Height: 4.5cm, Projection: 4.5cm
Flexible option min. radius: 1.6m

Classic Cornice 2

Height: 5cm, Projection: 5cm
Flexible option min. radius: 1.6m

Classic Cornice 3

Height: 5.5cm, Projection: 5.5cm

Classic Cornice 26, 27 & 28

Height: 6cm, Projection: 3cm

Classic Cornice 15

Height: 5.5cm, Projection: 4cm

Classic Cornice 4

Height: 7cm, Projection: 7cm
Flexible option min. radius: 2m

Classic Cornice 5

Height: 7cm, Projection: 7cm

Classic Cornice 10

Height: 7cm, Projection: 7cm

Classic Cornice 6

Height: 8cm, Projection: 8cm

Classic Cornice 11

Height: 9cm, Projection: 9cm

Classic Cornice 12

Can be reversed, giving two profile options.
Height: 9.5cm, Projection: 9.5cm
Flexible option min. radius: 2.4m

Classic Cornice 13

Height: 9.5cm, Projection: 9.5cm

Classic Cornice 14

Height: 9.5cm, Projection: 9.5cm

Classic Cornice 8

Height: 12cm, Projection: 12cm

Classic Cornice 7

Height: 12cm, Projection: 12cm

Can be reversed, giving two profile options.

Height: 12cm, Projection: 12cm



PREMIER CORNICE

The beauty of plaster without the drawbacks.

- Perfect for DIY.
- Lightweight - one person can install.
- Fit in a fraction of the time of plaster.
- Durable and shock resistant.
- Pre-primed surface requires only one coat of paint.
- Water resistant - suitable for use in bathrooms and kitchens.


Unlike Classic Cornice, Premier ranges are moulded, which allows for greater profile variance and more deeply etched patterns.

Curved walls? Many of our Premier Cornices are available in an optional flexible material that can bend to concave or convex wall shapes. Where a flexible option exists, you will see an italicised minimum radius dimension under the product.

PREMIER LINEAR

- Linear designs in 2m lengths.
- Use Fix Pro or Fix Hydro and Fix Extra adhesives.

Premier Cornice 32



Height: 4cm, Projection: 5cm
Flexible option min. radius 1.3m

Premier Cornice 69




Height: 4.5cm, Projection: 4.5cm
Flexible option min radius 1.6m

Premier Cornice 33



Height: 4.5cm, Projection: 15.5cm

Like some Victorian styles, Premier Cornice 33 extends further across the ceiling than down the wall. Other profiles that achieve a similar effect include Premier Cornice 23, 70, 11 and 73.




PREMIER CORNICE 33 (PAINTED GREY & WHITE) WITH PREMIER RAILING 6 OFFSET ACROSS THE CEILING.

Premier Cornice 13



Height: 5cm, Projection: 4cm
Flexible option min. radius 1.6m

Premier Cornice 15



Height: 5.5cm, Projection: 5cm
Flexible option min. radius 1.0m

Premier Cornice 16



Height: 6cm, Projection: 13.5cm
Flexible option min. radius 2.0m

Premier Cornice 17



Height: 6cm, Projection: 10cm

Premier Cornice 18



Height: 6.5cm, Projection: 5.5cm
Flexible option min. radius 1.6m

Premier Cornice 20




Height: 7.5cm, Projection: 11.5cm
Flexible option min. radius 4.0m

Premier Cornice 34



Height: 8cm, Projection: 8cm
Flexible option min. radius 2.8m

Premier Cornice 22



Height: 8cm, Projection: 8cm
Equates to a 127mm coving size.
Flexible option min. radius 2.7m

Premier Cornice 83



Height: 9cm, Projection: 12cm
Flexible option min. radius 4.0m

Premier Cornice 23




installed vertically
Can be installed horizontally or vertically.
Vertical Height: 10cm, Projection: 5cm
Horizontal Height: 5cm, Projection: 10cm
Flexible option min. radius 1.4m (vertical only).

Premier Cornice 36



Height: 10cm, Projection: 10cm
Flexible option min. radius 6.0m

Premier Cornice 82



Height: 11cm, Projection: 14cm

Premier Cornice 25



installed horizontally
Height: 10cm, Projection: 15.5cm

installed vertically




Height: 15.5cm, Projection: 10cm
Flexible option min. radius 3.8m

Premier Cornice 3



Height: 12.5cm, Projection: 11.5cm
Flexible option min. radius 3.0m

Premier Cornice 70



installed vertically
Can be installed horizontally or vertically.
Vertical Height: 14cm, Projection: 6cm
Horizontal Height: 6cm, Projection: 14cm
Flexible option min radius 3.8m (vertical only).

Premier Cornice 84



Height: 14cm, Projection: 19cm

Premier Cornice 29




Height: 15cm, Projection: 19.5cm
Flexible option min. radius 3.8m

Premier Cornice 7



installed vertically
Can be installed horizontally or vertically.
Vertical Height: 15cm, Projection: 12.5cm
Horizontal Height: 12.5cm, Projection: 15cm
Flexible option min. radius 6.0m (vertical only)

Premier Cornice 8




installed vertically
Can be installed horizontally or vertically.
Vertical Height: 17cm, Projection: 14.5cm
Horizontal Height: 14.5cm, Projection: 17cm

Premier Cornice 35



Height: 17cm, Projection: 13.5cm

Premier Cornice 71



Height: 18cm, Projection: 18cm

Premier Cornice 85




Height: 19cm, Projection: 25cm

Premier Cornice 37



installed horizontally
Can be installed horizontally or vertically.
Vertical Height: 21.5cm, Projection: 16cm
Horizontal Height: 16cm, Projection: 21.5cm

Premier Cornice 38




Height: 21.5cm, Projection: 20cm

Premier Cornice 11




installed vertically
Can be installed horizontally or vertically.
Vertical Height: 23cm, Projection: 11.5cm
Horizontal Height: 11.5cm, Projection: 23cm

Premier Cornice 72




installed vertically
Can be installed horizontally or vertically.
Vertical Height: 25cm, Projection: 16.5cm
Horizontal Height: 16.5cm, Projection: 25cm

Premier Cornice 73



installed vertically
Can be installed horizontally or vertically.
Vertical Height: 25.5cm, Projection: 13.5cm
Horizontal Height: 13.5cm, Projection: 25.5cm

Premier Cornice 39



Height: 27cm, Projection: 26cm

Premier Cornice 86



Height: 27.5cm, Projection: 35cm



PREMIER CORNICES 82, 83 & 84 HAVE TWO ADHESION TO CEILING POINTS, WHICH MEANS THEY ARE EASIER TO USE AS PELMETS.

PREMIER ORNATE

- Patterned designs in 2m lengths.
- Use Fix Pro or Fix Hydro and Fix Extra adhesives.

Premier Cornice 19



Height: 6.5cm, Projection: 3cm
Flexible option min. radius 1.4m

Premier Cornice 21



Height: 7.5cm, Projection: 4cm
Flexible option min. radius 1.2m

Premier Cornice 24



Height: 10cm, Projection: 10cm
Flexible option min. radius 3.0m

Premier Cornice 1



Height: 11.5cm, Projection: 5cm
Flexible option min. radius 2.0m

Premier Cornice 26



Height: 11.5cm, Projection: 11cm
Flexible option min. radius 2.5m

Premier Cornice 27



Height: 11.5cm, Projection: 13cm
Flexible option min. radius 3.4m

Premier Cornice 2



Height: 12cm, Projection: 7cm
Flexible option min. radius 2.5m

Premier Cornice 28



Height: 12.5cm, Projection: 8cm
Flexible option min. radius 2.5m

Premier Cornice 5



Height: 14cm, Projection: 6.5cm
Flexible option min. radius 1.8m

Premier Cornice 6



Height: 15cm, Projection: 13cm
Flexible option min. radius 3.6m

Premier Cornice 30



Height: 17cm, Projection: 14cm
Flexible option min. radius 3.2m

Premier Cornice 9



Height: 17cm, Projection: 19.5cm

Premier Cornice 31



Height: 18cm, Projection: 12.5cm

Premier Cornice 10



Height: 19cm, Projection: 19cm

Dentil Feature option for Premier Cornice 10



Premier Cornice 12



Height: 25cm, Projection: 6cm
Flexible option min. radius 1.4m

STUNNING DECORATIVE ADDITIONS FOR PREMIERE CORNICIE 71



Use our beautiful centre section and/or corners in conjunction with Premiere Cornice 71 (see page 9) to create a stunning Regency style feature. Position the centre section centrally on the wall and run Premiere Cornice 71 left and right off it.

Premier Cornice 71 Decorative Centre



Height: 18cm, Projection: 18cm
2m length. Pattern sits centrally on a 2m length and is 1206mm wide.

Premier Cornice 71 Decorative Corner



Height: 18cm, Projection: 18cm
2m length with clear cutting instructions. Pattern extends 585mm both sides from corner. Internal corners only.



PREMIER CORNICIE 9.

PREMIER ADDITIONS


- Engineered with dowel holes at the ends of each length for easy alignment.
- Linear and patterned designs in 2m lengths.
- Use Decor Grip or Hybrid and Decor Grip Plus adhesives.

Premier Cornice 53



Height: 4cm, Projection: 4cm
Flexible option min. radius 1.55m

Premier Cornice 54



Height: 6cm, Projection: 5cm
Flexible option min. radius 2m

Premier Cornice 75



Height: 6.5cm, Projection: 3cm

Premier Cornice 76



Height: 7cm, Projection: 3.5cm

Premier Cornice 55




Height: 7cm, Projection: 5cm
Flexible option min. radius 1.65m

Premier Cornice 77



Height: 8cm, Projection: 11.5cm

Premier Cornice 56



Height: 9cm, Projection: 8.5cm

Premier Cornice 57




Height: 10cm, Projection: 11.5cm

Premier Cornice 78



Height: 10.5cm, Projection: 7.5cm

Premier Cornice 79




Height: 12cm, Projection: 12.5cm

Premier Cornice 81



Height: 15cm, Projection: 7cm

Premier Cornice 60



Height: 17.5cm, Projection: 17cm

NB: Premier Cornice 52 is virtually identical, but cheaper. It does not feature dowel holes and cannot be used in conjunction with Premier Cornice 65.

Premier Cornice 65



Height: 17.5cm, Projection: 17cm

Create a stunning feature by using Premier Cornice 65 in conjunction with Premier Cornice 60. Simply position Premier Cornice 65 centrally on the wall and then run lengths of Premier Cornice 60 either side of it. For corners either use Premier Cornice 60, or the Premier Cornice 65 Corner. Alternatively, use Premier Cornice 65 Corners and only Premier Cornice 60 for your straight runs.

Premier Cornice 65 Corner



Height: 17.5cm, Projection: 17cm,
Length per return: 41cm

NB. Supplied as one length that makes two corners.

PREMIER 2.4m & 3m

- Longer 2.4m and some 3m lengths – see website or price list for availability.
- Many profiles have compatible pre-made corners. See website for full details.
- Linear & patterned designs.
- Use Decor Grip or Hybrid and Decor Grip Plus adhesives.

Premier Cornice 41



Height: 5.6cm, Projection: 5.6cm

Premier Cornice 42



Height: 5.6cm, Projection: 6cm

Premier Cornice 43



Height: 7.5cm, Projection: 5cm

Premier Cornice 44



Height: 8cm, Projection: 8cm

Premier Cornice 45



Height: 8cm, Projection: 8cm

Premier Cornice 46



Height: 8cm, Projection: 8cm

Premier Cornice 62



Height: 8cm, Projection: 8cm

Premier Cornice 47



Height: 8.7cm, Projection: 8.5cm

Premier Cornice 63



Height: 9cm, Projection: 10cm

Premier Cornice 48



Height: 10cm, Projection: 5.7cm

Premier Cornice 87



Height: 10.5cm, Projection: 15.5cm

Premier Cornice 74



Height: 11.5cm, Projection: 11.5cm

Premier Cornice 90



Height: 12cm, Projection: 10cm

Premier Cornice 49



Height: 11.5cm, Projection: 11.8cm

Premier Cornice 50



Height: 12.5cm, Projection: 12.5cm

Premier Cornice 51



Height: 12.5cm, Projection: 12.5cm

Premier Cornice 88



Height: 12.5cm, Projection: 12.5cm

Premier Cornice 64



Height: 13cm, Projection: 10.5cm

Premier Cornice 89



Height: 14cm, Projection: 20cm

Premier Cornice 52



Height: 17.5cm, Projection: 17cm

PREMIER FLEXIBLE CORNICE

Many Premier and some Classic Cornice designs have a flexible option available.

Made from a flexible polyurethane they bend backwards and forwards on themselves so can be mounted onto walls with a concave or convex shape. They are identical in profile and shape to their standard sister product, but are more expensive, so we recommend that you use them only where they are needed, and use the standard non flexible material where they are not.

The critical dimension to note with a flexible cornice is it's minimum radius. This indicates how tight a bend a cornice can flex to. Don't try to bend a profile to a curve tighter than it's minimum radius as this may lead to the material degrading over time. You will find minimum radii noted in italics under each profile that has a flexible option over the previous pages.

Please also note that we have flexible skirting boards and railings. You'll find details on these within their respective sections.



BEADING & TRUNKING

- 2m lengths.
- Use Fix Pro or Fix Hydro and Fix Extra adhesives.

Scotia Beading 4

Height: 1.5cm, Projection: 1.5cm
Flexible option min. radius 0.7m

Quadrant Beading 1

Height: 2cm, Projection: 2cm
Flexible option min. radius 0.7m

Scotia Beading 2

Height: 2cm, Projection: 2cm

Scotia Beading 5

Height: 3cm, Projection: 3cm
Flexible option min. radius 1.5m

Beading/Edging 3

Height: 3cm, Projection: 3cm

Corner Trunking/Edging 1

Height: 3cm, Projection: 2.5cm



FLEXIBLE PREMIER CORNICE 22. FLEXIBLE PREMIER RAILING 28 (ON CEILING). FLEXIBLE PREMIER RAILING 22 (ON WALL). FLEXIBLE CLASSIC SKIRTING 3. CEILING ROSE 17.

CORNICE COMBINATIONS

Combining cornices, or a cornice with one or more railings, can create a beautiful and dramatic feature. Basically, you are enlarging your feature by extending it either down your wall, or across your ceiling, or both.

The possibilities are endless.

In this section we try to point you towards what can be achieved. On the website we show some of the more popular combinations, but half the fun is in creating something unique. And, don't forget, we're on the end of the phone to help if you need us. We'll even, within reason, send out samples to help you test your creation before you buy.

One word of warning before you start. Keep your budget in mind. It's all too easy to get carried away! Keep the price list close to hand to keep an eye on things as you go and remember, 'Classic' ranges are generally cheaper than 'Premier'.

DOUBLE UP TO CREATE A HUGE CORNICE



Premier Cornice 11 x 2
- makes a finished profile
around 34cm x 34cm.



Premier Cornice 73 x 2
- makes a finished profile
around 39cm x 39cm.

Two of our larger cornices are moulded with two adhesion points on the straight section of their profiles. This enables a good bonding to be achieved onto a single wall or ceiling surface. This in turn means that two mouldings can be combined into one huge profile by running one with the straight section against the ceiling and the other with the straight section down the wall.

The picture above shows Premier Cornice 11 used in this way, the very bottom section of which has been finished in a wood effect to blend in with the panelling beneath it.

OFFSETTING A RAILING FROM A CORNICE



The simplest and most common form of combination.

Install your cornice as normal, and then offset a railing from it either down the wall, or across the ceiling, or both. The railing does not touch the cornice, but is spaced a little way away from it. Then paint the cornice, railing and space between them the same colour to visually combine them into a single feature.

You can start with almost any cornice, although Classic Cornices 6 and 7 are very popular. The railings most commonly used are Classic Railings 1 and 3 and Premier Railing 2 as they offer generically rounded shapes. The picture above shows Premier Cornice 8 with Classic railing 3 offset across the ceiling.

BUTTING A RAILING UP TO A CORNICE



You can butt one product up against another to make it look like one moulding.

Any step that is created by a difference in the depth of one product against the other simply looks like part of the design of a single profile.

The picture above shows our Cornice Combination 7, which uses Premier Cornice 7 (installed upside down) with Premier Railing 12 butting up to it on the wall and Premier Railing 22 offset from it across the ceiling. The picture on page 15 shows our Cornice Combination 6, which combines Classic Cornice 7 with Classic Railing 8 both down the wall and across the ceiling.

PREMIER CORNICE 33 COMBINATIONS



Premier
Cornice 21

Premier
Cornice 34

Premier
Cornice 23

Our Premier Cornice 33 (see page 8) is particularly suited to use as a base from which to run other cornices as it has a long straight section that is easy to run other profiles off. You can run it horizontally across your ceiling, or vertically down your wall (as shown in the photo above, with Premier Cornice 26). It's profile also means that you can position it away from the corner where wall meets ceiling to increase the size of the finished profile further (the gap that this creates would need to be covered by the second cornice).

DOWNLIGHT CORNICE COMBINATIONS



Our Downlight Cornice range (see page 16) has been developed for use with spotlights, although it can be used without. It provides a contemporary, minimalistic finish when used alone, but can have other profiles running up to it to give a more decorative effect. The picture above shows our Downlight Cornice 2 combined with Premier Cornice 51 running off it across the ceiling.




CORNICE COMBINATION 6 (SEE 'BUTTING A RAILING UP TO A CORNICE' OPPOSITE). CLASSIC RAILING 4 & CLASSIC RAILING 2 (UPSIDE DOWN) COMBINED AS DADO. CLASSIC SKIRTING 1 & CLASSIC RAILINGS 7 & 8 COMBINED AS SKIRTING BOARD.

LIGHTING CORNICE

Same beauty as plaster, installed with a fraction of the hassle.

- Perfect for DIY.
- Lightweight - one person can install.
- Fit in a fraction of the time of plaster.
- Durable and shock resistant.
- Pre-primed surface requires only one coat of paint.
- Water / humidity resistant - suitable for use in bathrooms and kitchens.

Downlight Cornice 4



Height: 20cm, Projection: 25cm


INDIRECT LIGHTING CORNICE

For use as lighting troughs with whatever lighting options you choose. Mount part way down your wall (generally 15 to 20cm) and set lighting inside to create an ambient lighting effect.

'Inset' options are shaped to give the appearance of being slightly offset from the wall, thereby casting a subtle, softening shadow.


- 2m or 2.4m lengths (see price list).
- Flexible options for curved walls available for two profiles.
- Use Fix Pro or Fix Hydro and Fix Extra adhesives, except Premier Cornice 66, 67 & 68 which use Decor Grip or Hybrid and Decor Grip Plus.

Premier Cornice 66



Height: 7cm, Projection: 18cm
Lining with silver foil recommended to stop show through on this profile.

Premier Cornice 67




Height: 8cm, Projection: 11cm
Lining with silver foil recommended to stop show through on this profile.

Premier Cornice 36



Height: 10cm, Projection: 10cm
Flexible option: min. radius 6.0m



Premier Cornice 7



Height: 15cm, Projection: 12.5cm
Flexible option: min radius 6.0m

Premier Cornice 8



Height: 17cm, Projection: 14.5cm

Premier Cornice 68



Height: 17.5cm, Projection: 14.5cm

Inset Cornice 8



Height: 7.3cm, Projection: 11cm

Inset Cornice 9



Height: 7.3cm, Projection: 14cm

Inset Cornice 5



Height: 7.5cm, Projection: 17cm

Inset Cornice 6



Height: 8cm, Projection: 17.5cm

DOWNLIGHT CORNICE

- For use with spotlights.
- Dowel holes for easy, perfect alignment.
- 2m lengths.
- Use Decor Grip or Hybrid and Decor Grip Plus adhesives.




Downlight Cornice 1




Height: 10cm, Projection: 10cm

Downlight Cornice 2



Height: 15cm, Projection: 15cm

Downlight Cornice 3



Height: 20cm, Projection: 20cm



INSET CORNICE 5. DESIGNER RAILING 2. CLASSIC SKIRTING 4.



PREMIER CORNICE 8

LED LIGHTING CORNICE

Stunning, contemporary lighting features.

- Designed specifically for use with LED's
- 2m lengths.
- Use Fix Pro or Fix Hydro and Fix Extra adhesives.

LED Uplight Cornice 1 & 2 have steps positioned periodically inside the mouldings to rest an LED strip onto. If you are using LED tape you will need to mount it onto something solid to keep the light at a constant level within the cornice. This does not apply to LED Uplight Cornice 3.

LED Uplight Cornice 1




Height: 5cm, Projection: 5cm

LED Uplight Cornice 2



Height: 5cm, Projection: 5cm

LED Uplight Cornice 3




Height: 14cm, Projection: 8cm

DESIGNER UPLIGHTING CORNICE


Unique mouldings to use as uplights, downlights, or in any number of creative ways.

- Designed specifically for use with LED's
- 2m lengths.
- Use Fix Pro or Fix Hydro and Fix Extra adhesives.


Designer Uplight Cornice 3



As wall uplight



As wall downlight




On ceiling

Height: 18.5cm, Projection: 6cm

Designer Uplight Cornice 4




As wall uplight



As wall downlight

Height: 28cm, Projection: 7cm

Designer Uplight Cornice 5




As wall uplight




As wall downlight

Height: 8cm, Projection: 5cm
Flexible option min. radius 1m

Designer Uplight Cornice 6



As wall uplight




As wall downlight

Height: 18cm, Projection: 5cm
Flexible option min. radius 1.3m

COMBINING DESIGNER UPLIGHT CORNICES

Designer Uplight Cornices 5 & 6 have been designed so that they can be combined with themselves, or one another, in any number of creative ways.



LED UPLIGHT CORNICE 1.

CONTEMPORARY COLLECTION

Stunning, contemporary designs for a range of budgets.

- Perfect for DIY.
- Lightweight – one person can install.
- Fit in a fraction of the time of plaster.
- Durable and shock resistant.
- Pre-primed surface requires only one coat of paint.
- Water / humidity resistant – suitable for use in bathrooms and kitchens.

PREMIER RANGE

These highly contemporary mouldings are designed to give the appearance of being slightly offset from the wall, therefore cast a subtle shadow.

- 2m lengths.
- Use Fix Pro or Fix Hydro and Fix Extra adhesives.

Inset Cornice 7



Height: 2cm, Projection: 6cm

Inset Cornice 1



Height: 2cm, Projection: 10cm

Inset Cornice 2



Height: 3.5cm, Projection: 11cm

Inset Cornice 3



Height: 3cm, Projection: 16.5cm

Inset Cornice 4




Height: 4cm, Projection: 21.5cm

Raised Skirting 1



Height: 8.5cm, Projection: 1.5cm
6mm deep cavity to run wiring behind.

Raised Skirting 2



Height: 20cm, Projection: 1.5cm
5mm deep cavity to run wiring behind.

Designer Railing 1



Height: 8.5cm, Projection: 1.5cm

Designer Railing 2



Height: 20cm, Projection: 1.5cm

CLASSIC RANGE

More simple than the Premier options, these profiles are produced by extrusion for keen pricing.


- 2m lengths.
- Use Fix Pro or Fix Hydro and Fix Extra adhesives.

Inset Cornice 10



Height: 1.3cm, Projection: 4cm

Inset Cornice 11



Height: 1.3cm, Projection: 7cm

MULTIFUNCTIONAL PROFILES

A low cost way to create a simple but effective contemporary effect. These simple, linear mouldings can be used as cornice, architrave, dado rail and/or skirting boards.

- 2.3m lengths.
- Use Fix Pro or Fix Hydro and Fix Extra adhesives.



MULTI MOULD 2 USED AS ARCHITRAVE, CORNICE AND SKIRTING BOARD.

Multi Mould 1



Height: 4cm, Projection: 1cm

Multi Mould 2



Height: 6cm, Projection: 1.2cm

Multi Mould 3




Height: 6.5cm, Projection: 1.3cm

Multi Mould 4




Height: 10cm, Projection: 1.3cm

Multi Mould 5



Height: 15cm, Projection: 1.3cm



INSET CORNICE 3, RAISED SKIRTING 1.

ART DECO COLLECTION

Highly styled mouldings, reasonably priced.

- Perfect for DIY.
- Lightweight - one person can install.
- Fit in a fraction of the time of plaster.
- Durable and shock resistant.
- Pre-primed surface requires only one coat of paint.
- Water / humidity resistant - suitable for use in bathrooms and kitchens.
- 2m and/or 2.4m lengths (see price list).
- Use Decor Grip or Hybrid and Decor Grip Plus adhesives.

Art Deco Cornice 1



Height: 7.7cm, Projection: 7.5cm

Art Deco Cornice 2




Height: 7.8cm, Projection: 7.8cm

Art Deco Cornice 3




Height: 15cm, Projection: 15cm

Art Deco Cornice 4
installed vertically




Can be installed horizontally or vertically
Horizontal Height: 11.5cm, Projection: 18.5cm
Vertical Height: 18.5cm, Projection: 11.5cm

Art Deco Cornice 5
installed vertically



Can be installed horizontally or vertically
Horizontal Height: 10cm, Projection: 22.5cm
Vertical Height: 22.5cm, Projection: 10cm

Art Deco Cornice 6
installed vertically




Can be installed horizontally or vertically
Horizontal Height: 6cm, Projection: 25cm
Vertical Height: 25cm, Projection: 6cm

Art Deco Cornice 7



Height: 7.5cm, Projection: 7.5cm

Art Deco Cornice 8



Height: 15cm, Projection: 15cm

Art Deco Skirting 1



Height: 13cm, Projection: 1.8cm

Art Deco Skirting 2



Height: 13cm, Projection: 2cm

Art Deco Architrave 1




Width: 6.5cm, Projection: 1.5cm

Art Deco Architrave 2



Width: 7cm, Projection: 1.5cm

Art Deco Architrave 3



Width: 7cm, Projection: 1.5cm

Art Deco Architrave 4



Width: 7cm, Projection: 2.3cm

Art Deco Rose 69
Diameter: 34cm





Art Deco Rose 70
Diameter: 56cm



Art Deco Rose 71
Size:
64 x 44.5cm



Art Deco Rose 72
Width: 59cm



ART DECO CORNICE 3. ART DECO SKIRTING 1.

DESIGNER COLLECTION

A stunning range of avant-garde mouldings from top European designer, Ulf Moritz. Designed for you to free your mind and create unique, contemporary features. Whether you use these mouldings as they were intended, or use railing as cornice, cornice as railing or whatever, it matters not. Just create...

- Perfect for DIY.
- Lightweight – one person can install.
- Fit in a fraction of the time of plaster.
- Durable and shock resistant.
- Pre-primed surface requires only one coat of paint.
- Water / humidity resistant – suitable for use in bathrooms and kitchens.



DESIGNER CORNICE 1 MOUNTED PART DOWN THE WALL, WITH DESIGNER UPLIGHT CORNICE 3 ADDED DIRECTLY UNDERNEATH AS DOWNLIGHT.



DESIGNER RAILING 3 (X2). DESIGNER SKIRTING 1.

DESIGNER CORNICE, RAILING, SKIRTING & ROSE

- Designer Uplighting Cornice is also part of the range. See page 18.
- 2m lengths (or per item).
- Use Fix Pro or Fix Hydro and Fix Extra adhesives.

Designer Cornice 1




Installed horizontally on ceiling



Installed vertically on wall


Can be installed horizontally or vertically
Horizontal Height: 7.5cm, Projection: 37cm
Vertical Height: 37cm, Projection: 7.5cm

Designer Cornice 2




Height: 20cm, Projection: 16cm

Designer Ceiling Rose 1




Diameter: 60cm, Projection: 7.5cm

Designer Railing 3



Height: 12.5cm, Projection: 3cm

Designer Skirting 1



Height: 17.5cm, Projection: 4.5cm



DESIGNER WALL ART 3. DESIGNER SKIRTING 1.



DESIGNER CORNICE 2. DESIGNER WALL ART 2.

DESIGNER WALL ART

Designed for you to create. On this page we show a few thought starter layout options. Follow them or use them to inspire your own creations. Enjoy...

- Use Fix Pro or Fix Hydro adhesives.

Designer Wall Art 3



Dimensions: 42.5cm x 7cm (vertical measure, top edge to bottom of dip) x 1cm

Designer Wall Art 7



Dimensions: 27cm x 21cm x 1.5cm

Designer Wall Art 1



Dimensions: 20cm x 9cm x 2.5cm

Designer Wall Art 4




Dimensions: 20cm x 18cm x 1cm
Supplied as left or right facing options

Designer Wall Art 8



Dimensions: 9cm x 4.5cm x 2cm

Designer Wall Art 2



Designer Wall Art 5




Dimensions: 25.5cm x 24.5cm x 1cm
Supplied as left or right facing options

Designer Wall Art 9



Dimensions: 19.5cm x 9cm x 2cm








Dimensions: 42.5cm x 35cm x 1.5cm

Designer Wall Art 6



Dimensions: 8cm x 18cm x 1.5cm



DESIGNER UPLIGHT CORNICE 4. DESIGNER UPLIGHT CORNICE 3 (AS ARCHITRAVE). WALL ART 3, 4 & 5. DESIGNER SKIRTING 1.


PLASTER CORNICE

The finest quality plaster. The crispest moulds.

- Crisp, deep moulds.
- Available in 2m and/or 3m lengths. See price list for details.
- Minimum order 4 lengths.
- Use Plaster Adhesive and Plaster Filler.
- Finest quality dense plaster for easier installation and reduced waste.
- Mitre template block supplied for easier cutting.


Due to the fragile nature of plaster we cannot entrust it to the national carriers, so we use factory transport. It is also usually made to order. This means that you should allow up to 2 to 4 weeks for delivery depending on where in the country you are, and that delivery costs are higher. Should you have any queries, please call us.

Plaster Cornice 5



Height: 10.2cm, Projection: 6.6cm

Plaster Cornice 6



Height: 10.2cm, Projection: 8.2cm

Plaster 'Dentil' Cornice 7



Height: 10.5cm, Projection: 9.2cm

Plaster 'Adam Rosette, Egg & Dart' Cornice 24



Height: 11cm, Projection: 24cm

Plaster 'Georgian' Cornice 25



Height: 11.4cm, Projection: 15.2cm

Plaster 'Dentil' Cornice 8




Height: 11.4cm, Projection: 15.2cm

Plaster 'French Waterleaf' Cornice 9



Height: 12.1cm, Projection: 8.9cm

Plaster 'Egg & Dart' Cornice 10




Height: 12.1cm, Projection: 11.4cm

Plaster 'Acanthus Leaf' Cornice 11



Height: 12.4cm, Projection: 11.7cm

Plaster Cornice 12




Height: 12.7cm, Projection: 12.7cm

Plaster 'Acanthus Leaf & Bud' Cornice 26



Height: 13cm, Projection: 8.5cm

Plaster 'Roman Vine' Cornice 13



Height: 14cm, Projection: 12.1cm

Plaster 'Fluted' Cornice 14



Height: 14cm, Projection: 8.9cm

Plaster 'Dentil Egg & Dart' Cornice 15



Height: 15cm, Projection: 15cm

Plaster 'Dentil' Cornice 16



Height: 15cm, Projection: 12.7cm

Plaster 'Acanthus Modillion' Cornice 28



Height: 15.5cm, Projection: 22.5cm

Plaster Cornice 17



Height: 15.9cm, Projection: 10.2cm

Plaster 'Floral' Cornice 18



Height: 15.9cm, Projection: 12.7cm

Plaster 'Acanthus Leaf' Cornice 19



Height: 17.8cm, Projection: 14.3cm

Plaster 'French Waterleaf' Cornice 20



Height: 18.1cm, Projection: 12.2cm

Plaster 'Flower with Leaf' Cornice 21



Height: 19cm, Projection: 7.5cm

Plaster 'Georgian Modillion' Cornice 29



Height: 19.1cm, Projection: 24.1cm

Plaster 'Georgian' Cornice 30



Height: 19.1cm, Projection: 24.1cm

Plaster 'Dentil Egg & Dart' Cornice 22



Height: 20.3cm, Projection: 16.6cm

Plaster Frieze 1



Height: 23.2cm, Projection: 2.4cm

Plaster 'French Waterleaf' Cornice 23



Height: 31.5cm, Projection: 25.8cm

ANTIQUE WOOD EFFECT CORNICE


The beauty of antique oak, without the drawbacks.

- Moulded from original antique oak cornices.
- Hand finished for authenticity, in a variety of colours.
- Every detail of the original carving preserved.
- Lightweight and easy to install.
- Unlike wood, will not 'move' after installation.
- Durable and shock resistant.
- Water resistant.
- Available in varying lengths. See below.

To achieve a genuinely authentic appearance (and it is truly magnificent), we use rubber moulds to capture every detail of the original carving, and mould and hand stain to order.

This does mean that this range takes a little longer to supply, so you should allow 3 to 4 weeks. Please also note that sizes may vary minimally from those shown.

Wood Effect Cornice 1



Height: 7cm, Projection: 8.5cm
Length: 240cm

Wood Effect Cornice 2



Height: 9.5cm, Projection: 8cm
Length 205.7cm
Pattern repeats every 105cm.

Wood Effect Cornice 3



NB. Picture shows Limed Oak finish.
Height: 10.5cm, Projection: 8.5cm
Length: 297cm
Pattern repeats every 60cm.

Wood Effect Cornice 4



Height: 14cm, Projection: 21cm
Length: 300cm

Wood Effect Cornice 5



Height: 14.5cm, Projection: 8.5cm
Length: 248cm

Wood Effect Cornice 6



Height: 17cm, Projection: 23cm
Length: 300cm

Wood Effect Cornice 7



Height: 23cm, Projection: 9cm
Length: 200cm
Pattern repeats every 76cm.

Wood Effect Cornice 8



Height: 27cm, Projection: 9cm
Length: 250cm
Pattern repeats every 10cm.

Frieze 1



Height: 23.5cm, Projection: 1.5cm, Length: 127cm
Particularly effective when used under Wood Effect Cornice 3.

Frieze 2



Height: 27cm, Projection: 7cm, Length: 142.4cm
Particularly effective when used under Wood Effect Cornice 4 or 6. A rebated end hides joints.

Frieze 3



Height: 32.5cm, Projection: 3.5cm, Length: 142.4cm
Particularly effective when used under Wood Effect Cornice 4 or 6. A rebated end hides joints.

FINISH OPTIONS

Jacobean Oak is our standard finish, but you can select from any of the finish options shown below. We can also match to a finish if you supply us with a sample to match to.



BUDGET CORNICE

Three budget ranges. Easy on the installation. Easy on the pocket.

- Smooth and dense – not like the bobbly polystyrene of yesteryear.
- Lightweight and durable – easy for one person to install.
- Installs up to three times faster than plaster alternatives.
- Requires just one coat of paint.

PAPER COATED TRADE COVE

Paper coated for a precision finish, our Paper Coated Trade Cove is cheap and so much more easy to install than gyproc. Use Decor Grip or Hybrid adhesive. Available in the following 3 sizes:


- 100mm. 7cm x 7cm. Standard scoop shape. 2m or 3m. Corners available.
- 127mm. 8cm x 8cm. Standard scoop shape. 2m or 3m. Corners available.
- 135mm. 10cm x 9.5cm. Same profile as Budget Cornice 9. 2m or 3m.

BUDGET POLYSTYRENE CORNICE

Detailing not as 'sharp' as other materials, but gets the job done at a great price.

- 2m lengths.
- Use Decor Grip or Hybrid adhesive.

Budget Cornice 1



Height: 3.5cm, Projection: 3.5cm

Budget Cornice 2



Height: 5cm, Projection: 5cm

Budget Cornice 3



Height: 5cm, Projection: 5cm

Budget Cornice 4



Height: 7cm, Projection: 7cm

Budget Cornice 5



Height: 7.5cm, Projection: 7.5cm

Budget Cornice 6



Height: 8cm, Projection: 6.5cm

Budget Cornice 7




Height: 8cm, Projection: 8cm

Budget Cornice 8



Height: 8.5cm, Projection: 8cm

Budget Cornice 9



Height: 10cm, Projection: 9.5cm

Budget Cornice 10



Height: 10.5cm, Projection: 9.5cm

Budget Cornice 11



Height: 11cm, Projection: 11cm

Budget Cornice 12



Height: 13cm, Projection: 13cm

Budget Cornice 13



Height: 14cm, Projection: 14cm

Budget Cornice 14




Height: 14.5cm, Projection: 15.5cm

POLYSTYRENE PLUS CORNICE

Sharp edges and detail, unlike other polystyrene options.

- 2m lengths.
- Use Fix Pro or Fix Hydro adhesive.
- Boxed quantities only – see price list.

Polystyrene Plus Cornice 1



Height: 3.5cm, Projection: 3.5cm

Polystyrene Plus Cornice 2



Height: 5cm, Projection: 5cm

Polystyrene Plus Cornice 3




Height: 7cm, Projection: 7cm

Polystyrene Plus Cornice 4



Height: 6cm, Projection: 4cm

Polystyrene Plus Cornice 5



Height: 2.5cm, Projection: 2.1cm

Polystyrene Plus Cornice 6



Height: 4cm, Projection: 3.5cm

Polystyrene Plus Cornice 7



Height: 6cm, Projection: 5cm

Polystyrene Plus Cornice 8



Height: 4cm, Projection: 4cm

Polystyrene Plus Cornice 9



Height: 7cm, Projection: 7cm

Polystyrene Plus Cornice 10



Can be installed vertically or horizontally.
Vertical Height: 2.7cm, Projection: 1.5cm
Horizontal Height: 1.5cm, Projection: 2.7cm

Polystyrene Plus Cornice 11



Can be installed vertically or horizontally.
Vertical Height: 4.5cm, Projection: 2.5cm
Horizontal Height: 2.5cm, Projection: 4.5cm

Polystyrene Plus Cornice 12



Height: 8.5cm, Projection: 9cm

Polystyrene Plus Cornice 13



Height: 10cm, Projection: 10cm

WALL PANELLING

Wall panelling can transform a room. Whether you're looking for a Georgian style, the drama of oak or something more contemporary, you should find something of interest in this section. And don't forget, if you need any advice just give us a call.

FAUX PANELS

Stunning, inexpensive features. Easily sized and adapted to any wall shape, or to follow the angle of stairs.

- Indistinguishable from plaster.
- Perfect for DIY - installs simply using adhesives.
- Lightweight - one person can install.
- Durable and shock resistant.
- Pre-primed surface requires only one coat of paint.
- Water resistant.
- Railing in 2m lengths.
- Use Fix Pro or Fix Hydro and Fix Extra adhesives.


Use Faux Panels to create a wainscot feature to dado rail height, or dramatic full height panelling.

In effect you are simply creating 'frames' with lengths of railing. For the corners you can either mitre, or use pre-moulded decorative corners for added embellishment and easy installation.


Faux Panels can be tailored to virtually any size, shape or angle. Easy enough even to follow the angle of stairs. And, they are remarkably cost effective.

Keep in mind that the space inside and around the frame is wall, so your wall surface will need to be of a suitable standard.

Please note that on this page we only show railing options that have matching corners. You can use any other of our railings if you are mitring corners. You can see our full range on pages 40 & 41.



Classic Railing 1



Height: 2.5cm, Projection: 1.3cm

Concave/Convex Corner for Classic Railing 1

Width: 19cm

Classic Railing 3



Height: 4cm, Projection: 2cm

Concave/Convex Corner for Classic Railing 3

Width: 19cm

Premier Railing 2



Height: 4cm, Projection: 1.5cm

Concave corner for Premier Railing 2

Width: 19cm

Ornate corner for Premier Railing 2

Height: 13cm
Width: 13cm

Premier Railing 3



Height: 4.5cm, Projection: 2.5cm

Stepped corner for Premier Railing 3

Height: 25cm
Width: 25cm

Premier Railing 4



Height: 5cm, Projection: 2.5cm

Corner element for Premier Railing 4

Height: 25cm
Width: 25cm

Premier Railing 22



Height: 5cm, Projection: 3cm

Concave corner for Premier Railing 22

Width: 16.5cm

Premier Railing 26



Height: 5.1cm, Projection: 1.6cm

Ornate corner for Premier Railing 26

Height: 25cm
Width: 25cm

Premier Railing 6



Height: 6cm, Projection: 2.5cm

Concave corner for Premier Railing 6

Width: 20cm

Premier Railing 5



Height: 6cm, Projection: 2.5cm

Ornate corner for Premier Railing 5

Height: 42.5cm
Width: 42.5cm

Square 2



Height: 9cm
Width: 9cm

Square 3



Height: 6.5cm
Width: 6.5cm

Flower



Diameter: 6.5cm

WE ALSO OFFER A FULL RANGE OF THE HIGHEST QUALITY FIBROUS PLASTER FAUX PANELS, SEE OUR [PLASTER RAILING SECTION](#).



PREMIER RAILING 5 WITH ORNATE CORNERS. PREMIER CORNICE 71 WITH DECORATIVE CENTRE. SKIRTING COMBINATION USING CLASSIC SKIRTING 3 WITH PREMIER RAILING 25 OVER IT.



PREMIER RAILING 2 WITH ORNATE CORNERS ABOVE DADO, PREMIER RAILING 2 WITH MITRED CORNERS BELOW DADO. PREMIER CORNICE 25. PREMIER RAILING 19 AS DADO. CLASSIC SKIRTING 3.

FRAMING PANELS

These adaptable rectangular strips allow you to create many styles of panelling, from full wall height Arts & Crafts or Shaker styles, to more contemporary options. You can also easily follow the angle of stairs for a seamless hall, stairs and landing panelling.

- Perfect for DIY - installs simply using adhesives.
- Water resistant - suitable for use in bathrooms.
- Lightweight - one person can install.
- Durable and shock resistant.
- Pre-primed surface requires only one coat of paint.
- 2.3m lengths (except Edging 1: 2m)
- Use Fix Pro or Fix Hydro, and Fix Extra adhesives.

Multi Mould 1



Height: 4cm, Projection: 1cm

Multi Mould 3




Height: 6.5cm, Projection: 1.3cm

Multi Mould 4




Height: 10cm, Projection: 1.3cm

Multi Mould 5



Height: 15cm, Projection: 1.3cm

Edging 1



Height: 3cm, Projection: 2.5cm

ONE WAY TO BUILD YOUR FEATURE

Follow this simple plan to design your feature. For simplicity stop at stage 3, or for further embellishment continue to the further stages. Alternatively, you can design your own scheme.



1. Run Multi Mould 4 across the bottom, at skirting board height.



2. Add Multi Mould 3 as uprights. Spacings to your specification.




3. Add Multi Mould 4 across the top, at dado rail height.



4. Add Multi Mould 1 across the bottom for a decorative step.



5. Add Edging 1 across the top for a decorative step.



6. Use Multi Mould 3 for any additional uprights.



MULTI MOULD 3 ACROSS THE TOP, MULTI MOULD 4 AS SKIRTING AND MULTI MOULD 1 IN BETWEEN. POLYSTYRENE PLUS CORNICE 12. CEILING ROSE 4.



RAISED PANEL 3. PREMIER RAILING 8. CLASSIC SKIRTING 3.

TONGUE & GROOVE PANELLING

Two width options for a durable, tongue and groove effect.

- Easy fit.
- Lightweight but durable and shock resistant.
- Pre-primed surface requires only one coat of paint.
- Water resistant.
- Slim panels use Decor Grip or Hybrid and Decor Grip Plus adhesives. Wide panels use Fix Pro or Fix Hydro and Fix Extra adhesives.

To build a beautiful tongue and groove effect feature you would usually run panels down to the floor, install skirting board on top of them (although you can sometimes run the panels above existing skirting if the skirting is thick enough) and then run dado rail sitting on top of the panels. Keep in mind that most dado rails are narrower on their underside than the depth of the panels, so you will need to choose dado rails that overcome this, like the ones shown here.

Our Slim Panels are supplied in 2.4m lengths that you can cut down to 2 x 1.2m or 3 x 0.8m lengths on installation. Wide panels are 2m long and so would usually be cut down to 2 x 1m lengths.

Slim Panel



Width (when joined): 7.9cm, Projection: 1cm
Slots neatly together.

Slim Panel Dado




Width: 7.5cm, Projection: 2.3cm
Projects slightly further than the Slim Panel, by 2mm on its edge.

Premier Railing 27



Height: 4cm, Projection: 2cm
Projects slightly further than the Slim Panel, by 1mm on its edge.

Wide Panel



Width: (when joined): 16.9cm, Projection: 0.9cm
Slots neatly together.

Wide Panel Dado



Width: 5.5cm, Projection: 3.4cm
Designed to work with Wide Panels, as shown.

Premier Railing 13



Height: 2.5cm, Projection: 1.5cm
Projects more than the Wide Panel, by 6mm on its edge.

RAISED PANELS

Simple shapes to create dramatic features.

- Indistinguishable from plaster.
- Lightweight - one person can install.
- Durable and shock resistant.
- Pre-primed surface requires only one coat of paint.
- Water resistant.
- Use Fix Pro or Fix Hydro adhesive.

Mount panels between skirting and dado to create a wainscot feature. For full height panelling either use more panels above your dado, or create Faux Panels like on the front cover (Premier Railing 2 works well with panels 1 to 5).

Raised Panel 1

Height: 75cm
Width: 55cm
Projection: 1.5cm



Raised Panel 2

Height: 90.5cm
Width: 55cm
Projection: 1.5cm



Raised Panel 3

Height: 55cm
Width: 55cm
Projection: 1.5cm




Raised Panel 4

Height: 43cm
Width: 43cm
Projection: 1.5cm



Raised Panel 5

Height: 22cm
Width: 55cm
Projection: 1.5cm



Raised Panel 6

Height: 60.5cm
Width: 60.5cm
Projection: 4cm



Raised Panel 7

Height: 60cm
Width: 60cm
Projection: 4cm



SLIM PANELS WITH PREMIER RAILING 27 AS DADO.



WIDE PANELS WITH WIDE PANEL DADO & CLASSIC SKIRTING 3.

ANTIQUE OAK EFFECT PANELLING

Truly magnificent panelling. Indistinguishable from antique oak, but much easier to install.

- Moulded from original antique oak panelling.
- Every detail of the original carving preserved.
- Unlike wood, will not 'move' after installation.
- Water resistant.
- Hand finished for authenticity, in a variety of colours.
- Lightweight and easy to install.
- Durable and shock resistant.
- Available in two heights.
- Allow 3 to 4 weeks for delivery.
- Sizes may vary minimally from those shown.

Large Panel

When using our Large Panels with the required Edging Strip you will achieve a height of around 187cm. To increase this you can add Plate Rail.

Height: 177cm (nets down to 173cm when rebate is covered by edging strips)
Width: 46cm (nets down to 44cm when rebate is covered by adjoining panel)

Projection: 2cm

Small Panel

When using our Small Panels with the required Edging Strip you will achieve a height of around 99cm.

Height: 85cm
Width: 46cm (nets down to 44cm when rebate is covered by adjoining panel)

Projection: 2cm

Edging Strip

Height: 7cm (when used horizontally)
Width: 7cm (when used vertically)
Length: 270cm
Projection: 2cm

HOW TO MEASURE AND ORDER YOUR PANELLING

THE PANELLING IS BUILT UP USING THE FOLLOWING COMPONENTS:

1. Edging strip across the bottom (this usually takes the place of skirting board, but can be placed above a suitable skirting if required). This has a rebate that the panelling sheets sit down onto.
2. Panelling sheets.
3. Edging strip across the top. This has a rebate that sits over the large panelling sheets, but when using small panelling sheets this simply butts up to them.
4. Edging strip fitted vertically at the end of a run of panelling sheets. You will be working from right to left, so this will sit at the left hand edge of the wall.
5. Edging strip fitted vertically if you are running panelling around an obstacle, like a window, to run either side of the obstacle.
6. If you are using large panels many people then like to finish with a plate rail.

SO, TO ORDER:

1. Measure (and install) for each wall individually. The working width of each panel is 44cm, and one end will finish with an edging strip which has a 7cm width. In effect you will therefore take the overall width of the wall you wish to panel, deduct 7cm for an Edging Strip, then see how many multiples of 44cm are required, rounding up for the number of panels you need. (Panels are relatively easy to cut to finish to your desired width - see installation instructions on website).
2. If you are running panelling under or around an obstacle, like a window, you need to treat the wall either side of the obstacle and the obstacle itself as though they were different walls. In effect you will stop the panelling at the edge of the obstacle with edging strip, and again once you have run around it. So measure and order for each section separately.
3. Edging Strip is sold in 2.7m lengths and will be required to run around the total width of your panelling both top and bottom. You will also require edging strip to run the height of your panelling once on each wall you are panelling. You will need additional Edging Strip if you are running panelling around a window or other obstacle - enough to run full height, both sides of the obstacle.
4. Decide whether you require our plate rail to finish.

Stuart Plate Rail



Height: 10cm
Projection: 11cm
Length: 269.6cm

Cottage Plate Rail



Height: 10cm
Projection: 11cm
Length: 183cm

FINISH OPTIONS



- 1 Full depth panels
- 2 Edging Strip
- 3 Stuart Plate Rail
- 4 Wood Effect Cornice 2

RAILING, ARCHITRAVE & SKIRTING BOARD

We have more easy fit railing, architrave and skirting board profiles than any other online UK based company, and the finest quality plaster, too. You should find whatever you're looking for here. If you need any help, or if you want samples, please give us a call.

CLASSIC RAILING

Produced by extrusion for keen pricing, Classic Railings have all of the beauty of plaster but without the drawbacks.

- Indistinguishable from plaster.
- Perfect for DIY - installs simply using adhesives.
- Lightweight - one person can install.
- Durable and shock resistant.
- Pre-primed surface requires
- only one coat of paint.
- Water resistant - suitable for use in bathrooms.
- Available in 2m or 2.3m lengths (see price list).
- Use Fix Pro or Fix Hydro and Fix Extra adhesives.

Classic Railing 1

Height: 2.5cm, Projection: 1.3cm
Flexible option: *min. radius 1: 0.2m*
min. radius 2: 0.8m

Classic Railing 11

Height: 3cm, Projection: 1cm

Classic Railing 2

Height: 3.5cm, Projection: 1.5cm

Classic Railing 3

Height: 4cm, Projection: 2cm
Flexible option: *min. radius 1: 0.3m*
min. radius 2: 1.1m

Classic Railing 7

Height: 4cm, Projection: 2cm

Classic Railing 10

Height: 5cm, Projection: 1cm
Flexible option: *min. radius 1: 0.2m*
min. radius 2: 2.2m

Classic Railing 13

Height: 5cm, Projection: 1cm

Classic Railing 14

Height: 5cm, Projection: 1cm

Classic Railing 4

Height: 6cm, Projection: 2.7cm

Classic Railing 5

Height: 6cm, Projection: 2.7cm

Classic Railing 12

Height: 8cm, Projection: 1.5cm

Classic Railing 8

Height: 9.3cm, Projection: 2.3cm

Classic Railing 9

Height: 9.5cm, Projection: 2.4cm

Classic Railing 15

Height: 12cm, Projection: 3.2cm

PREMIER RAILING

Moulded for a greater choice of profile shape and more deeply etched patterns. The beauty of plaster, without the drawbacks.

- Indistinguishable from plaster.
- Perfect for DIY - installs simply using adhesives.
- Lightweight - one person can install.
- Durable and shock resistant.
- Pre-primed surface requires only one coat of paint.
- Water resistant - suitable for use in bathrooms.

PREMIER LINEAR

- Linear designs.
- 2m lengths (Railing 27 is 2.4m).
- Use Fix Pro or Fix Hydro and Fix Extra adhesives.

Premier Railing 13

Height: 2.5cm, Projection: 1.5cm
Flexible option: *min. radius 1: 0.2m*
min. radius 2: 0.6m

Premier Railing 1

Height: 3cm, Projection: 1cm
Flexible option: *min. radius 1: 0.2m*
min. radius 2: 0.7m

Premier Railing 2

Height: 4cm, Projection: 1.5cm
Flexible option: *min. radius 1: 0.2m*
min. radius 2: 0.7m

Premier Railing 27

Height: 4cm, Projection: 2cm

Premier Railing 14

Height: 5cm, Projection: 2.5cm
Flexible option: *min. radius 1: 0.3m*
min. radius 2: 0.8m

Premier Railing 22

Height: 5cm, Projection: 3cm
Flexible option: *min. radius 1: 0.4m*
min. radius 2: 2.0m

Premier Railing 29

Height: 5cm, Projection: 3.5cm
Flexible option: *min. radius 1: 0.8m*
min. radius 2: 2m

Premier Railing 6

Height: 6cm, Projection: 2.5cm
Flexible option: *min. radius 1: 0.4m*
min. radius 2: 1.3m

Premier Railing 23

Height: 7cm, Projection: 1.5cm
Flexible option: *min. radius 1: 0.2m*
min. radius 2: 2.5m

Premier Railing 28

Height: 7.5cm, Projection: 2cm
Flexible option: *min. radius 1: 0.3m*
min. radius 2: 2.3m

Premier Railing 24

Height: 8cm, Projection: 1cm
Flexible option: *min. radius 1: 0.2m*
min. radius 2: 1.8m

Premier Railing 9

Height: 9cm, Projection: 1.5cm
Flexible option: *min. radius 1: 0.3m*

Premier Railing 19

Height: 9cm, Projection: 3cm
Flexible option: *min. radius 1: 0.4m*
min. radius 2: 3.1m

Premier Railing 20

Height: 9.5cm, Projection: 2cm
Flexible option: *min. radius 1: 0.3m*

Premier Railing 10

Height: 10cm, Projection: 2cm
Flexible option: *min. radius 1: 0.3m*

Premier Railing 25

Height: 12cm, Projection: 3cm
Flexible option: *min. radius 1: 0.8m*
min. radius 2: 2.0m

PREMIER ORNATE

- Patterned designs.
- 2m lengths (Railing 26 is 2.4m).
- Use Fix Pro or Fix Hydro and Fix Extra adhesives.

Premier Railing 3

Height: 4.5cm, Projection: 2.5cm
Flexible option: *min. radius 1: 0.3m*
min. radius 2: 0.8m

Premier Railing 4

Height: 5cm, Projection: 2.5cm
Flexible option: *min. radius 1: 0.3m*
min. radius 2: 0.8m

Premier Railing 26

Height: 5.1cm, Projection: 1.6cm

Premier Railing 5

Height: 6cm, Projection: 2.5cm
Flexible option: *min. radius 1: 0.5m*
min. radius 2: 1.8m

Premier Railing 15

Height: 6cm, Projection: 2.5cm
Flexible option: *min. radius 1: 0.4m*
min. radius 2: 2.0m

Premier Railing 7

Height: 6.5cm, Projection: 3cm
Flexible option: *min. radius 1: 0.3m*
min. radius 2: 2.5m

Premier Railing 8

Height: 8cm, Projection: 2.5cm
Flexible option: *min. radius 1: 0.4m*
min. radius 2: 3.2m

Premier Railing 17

Height: 8.5cm, Projection: 1.5cm
Flexible option: *min. radius 1: 0.3m*
min. radius 2: 2.5m

Premier Railing 11

Height: 10.5cm, Projection: 2cm
Flexible option: *min. radius 1: 0.2m*

Premier Railing 12

Height: 11cm, Projection: 2cm.
Flexible option: *min. radius 1: 0.3m*

Premier Railing 21

Height: 22cm, Projection: 2cm


PREMIER FLEXIBLE RAILING

Most Premier Railings and some Classic Railings have flexible options available.

Made from flexible polyurethane, these bend backwards, forwards, up and down on themselves so can form shapes, bend to concave or convex walls (radius 1), or in an arch shape (radius 2). They are identical in profile and shape to their standard sister product, and also at least twice the price, so we recommend that you use them only where they are needed, and use the standard non flexible material where they are not.

The critical dimension to note with a flexible railing is it's minimum radius. This indicates how tight a bend a railing can flex to. Don't try to bend a profile to a curve tighter than it's minimum radius as this may lead to the material degrading over time. You will find minimum radii noted in italics under each profile that has a flexible option over the previous pages.

Please also note that we have flexible cornice and skirting boards. You'll find details on these within their respective sections.



Min. radius 1 Min. radius 1 Min. radius 2

PLASTER RAILING

The finest quality plaster. The crispest moulds.

- Crisp, deep moulds.
- Available in 1.5m lengths (Plaster Rail 1 is 0.88m).
- Finest quality dense plaster for easier installation and reduced waste.
- Use Plaster Adhesive and Plaster Filler.

Due to the fragile nature of plaster we cannot entrust it to the national carriers, so we use factory transport. It is also usually made to order.

This means that you should allow up to 4 weeks for delivery (sometimes longer in more remote areas), and that delivery costs are higher. Should you have any queries, please call us.

Plaster Railing 1



Height: 2.5cm, Projection: 2cm

Plaster Railing 2



Height: 3.8cm, Projection: 1.6cm
Concave corner available. Height: 24cm
Width: 24cm

Plaster Railing 3



Height: 3.8cm, Projection: 1.6cm

Plaster Railing 4



Height: 3.8cm, Projection: 1.9cm
Concave corner available. Height: 22.5cm
Width: 22.5cm

Plaster Railing 5



Height: 3.8cm, Projection: 2.5cm
Concave corner available. Height: 24cm
Width: 24cm

Plaster Railing 6




Height: 4cm, Projection: 2.8cm

Plaster Railing 7



Height: 4.5cm, Projection: 1.9cm

Plaster Railing 8



Height: 4.5cm, Projection: 3cm

Plaster Railing 9



Height: 5.4cm, Projection: 2.5cm
Concave corner available. Height: 23.5cm
Width: 23.5cm

Plaster Railing 10



Height: 5.5cm, Projection: 3cm
Concave corner available. Height: 23cm
Width: 23cm

Plaster Railing 11



Height: 5.7cm, Projection: 1.9cm
Concave corner available. Height: 22.5cm
Width: 22.5cm

Plaster Railing 12



Height: 5.7cm, Projection: 3.2cm
Concave corner available. Height: 24.5cm
Width: 24.5cm

Plaster Railing 13



Height: 6cm, Projection: 3.2cm
Concave corner available. Height: 22.5cm
Width: 22.5cm

Plaster Railing 14



Height: 6cm, Projection: 4cm

Plaster Railing 15



Height: 6cm, Projection: 4cm

Plaster Railing 16



Height: 6.3cm, Projection: 1.6cm

Plaster Railing 17



Height: 6.3cm, Projection: 2.1cm

Plaster Railing 18



Height: 7cm, Projection: 2.2cm

Plaster Railing 19



Height: 10cm, Projection: 5cm

Plaster Railing 20



Height: 10.1cm, Projection: 2.5cm

Plaster Railing 21



Height: 10.8cm, Projection: 2.2cm

Plaster Railing 22



Height: 13.2cm, Projection: 2.2cm

Plaster Corner Block 1

Height/Width: 4.5cm
Projection: 2.2cm



Plaster Corner Block 2

Height/Width: 7cm
Projection: 2.2cm



Plaster Corner Block 3

Height/Width: 7cm
Projection: 3.6cm



CLASSIC CORNICE 7. CLASSIC RAILING 1 WITH CORNERS AS FAUX PANELS. CLASSIC SKIRTING 3 AND CLASSIC RAILINGS 1 & 4 AS SKIRTING COMBINATION 5. FIREPLACE 4.

ARCHITRAVE & DOOR SURROUNDS


More consistent appearance and more durable performance than softwood. Use around doors and windows.

- Perfect for DIY - installs simply using adhesives.
- Fit in a fraction of the time of wood.
- Consistent finish - no knots.
- Won't crack, split, warp or rot.
- Durable and shock resistant.
- Pre-primed surface requires only one coat of paint.
- Water resistant - suitable for use in bathrooms.


ARCHITRAVES

- 2m, 2.3m or 2.4m lengths (see price list).
 - Use Fix Pro or Fix Hydro and Fix Extra adhesives
- (Decor Grip or Hybrid and Decor Grip Plus for Architraves 8 & 9).

Architrave 10



Multi Mould 2



Architrave 7




Architrave 16




Architrave 17



Architrave 11




Architrave 12




Architrave 8




Architrave 13




Architrave 14




Architrave 15



Architrave 1




Architrave 4



Architrave 2




Architrave 5



Architrave 9



Architrave 18



Foot for Architrave 18



DOOR SURROUND KITS

- Use Fix Pro or Fix Hydro and Fix Extra adhesives.



Door Surround 1



Outer height: 222.5cm
Inner height: 213cm
Outer width: 126cm
Inner width: 107cm
Max. Projection: 3cm


For wider doors simply purchase additional lengths of Architrave.

Door Surround 1 with feet

Surround supplied with shorter side rails and additional 'feet'.

Total outer height: 224.5cm
Total inner height: 215cm
Total outer width: 126cm
Total inner width: 107cm
Max. Projection: 3.5cm


Door Surround 3




Outer height: 240cm
Inner height: 225cm
Outer width: 220cm
Inner width: 190cm
Max. Projection: 6cm

For wider doors simply purchase additional lengths of Architrave.

Door Surround 4



Door Surround 5



OPTIONAL EXTRA'S

Feet 1




Compatible with Architrave 1 only.

Feet 2




Compatible with Architrave 2 & 4 only.

Corner Piece 1



Corner Piece 2



Compatible with Architrave 1, 2, 4 & 5 only.

SKIRTING BOARDS

For a sharp, seamless, impact resistant finish.

- Perfect for DIY - installs simply using adhesives.
- Reinforced material for excellent durability and impact resistance.
- Fit in a fraction of the time of wood.
- Pre-primed surface requires only one coat of paint. bathrooms and kitchens.
- Consistent finish - no knots.
- Water resistant - suitable for use in bathrooms.
- Won't crack, split, warp or rot.

Curved walls? Four of our Classic Skirtings are available in an optional flexible material that can bend to concave or convex wall shapes - suits most curved bay windows.

Fit wiring behind! All of our Classic Skirtings have cavities behind the profile, deep enough to fit wires or cables (as shown below with our Classic Skirting 3).



Impact resistance - the stiletto test!

Our Classic Skirting is made from a specially developed, impact resistant material, more durable than wood. One of our customers went as far as to test our skirting against traditional materials using her stiletto's. It must have done well as she placed quite a large order!

Need taller skirting? If you need a taller skirting, check out our Skirting Combinations over the page.

CLASSIC SKIRTING

- 2m lengths.
- Use Fix Pro or Fix Hydro and Fix Extra adhesives.

Classic Skirting 11




Height: 7cm, Projection: 1cm
Flexible option: min. radius 0.4m

Classic Skirting 5




Height: 7cm, Projection: 1.3cm
9mm deep cavity to run wiring behind.

Classic Skirting 1




Height: 8cm, Projection: 2.2cm
10mm deep cavity to run wiring behind.

Classic Skirting 6




Height: 10cm, Projection: 1.5cm
6mm deep cavity to run wiring behind.

Classic Skirting 2




Height: 11cm, Projection: 1.3cm
4mm deep cavity to run wiring behind.
Flexible option: min. radius 0.3m

Classic Skirting 8




Height: 11cm, Projection: 2.5cm
15mm deep cavity to run wiring behind.
Flexible option: min. radius 0.3m

Classic Skirting 3




Height: 14cm, Projection: 1.8cm
8mm deep cavity to run wiring behind.
Flexible option: min. radius 0.4m

Classic Skirting 7




Height: 14cm, Projection: 1.5cm
7mm deep cavity to run wiring behind.

Classic Skirting 4



Height: 15cm, Projection: 1.6cm
8mm deep cavity to run wiring behind.

Classic Skirting 9



Height: 20cm, Projection: 1.6cm
6mm deep cavity to run wiring behind.

THE MODERN SUITE

- 2m lengths.
- Use Decorgrip or Hybrid and Decorgrip Plus adhesives.

Modern Skirting 1



Height: 7cm, Projection: 1.8cm

Modern Skirting 2



Height: 11cm, Projection: 1.8cm

Modern Skirting 3



Height: 15cm, Projection: 1.8cm

Modern Skirting 4



Height: 20cm, Projection: 1.8cm

THE PATTERNED SUITE

- 2m lengths.
- Allow 2 weeks for delivery.*
- Use Decorgrip or Hybrid and Decorgrip Plus adhesives.

Patterned Skirting 1



Height: 12cm, Projection: 1.5cm

Patterned Skirting 2





Height: 12cm, Projection: 1.5cm

FLEXIBLE SKIRTING

Classic Skirtings 2, 3, 8 & 11 have flexible options. Made from a flexible polyurethane material they can bend backwards and forwards on themselves, (minimum radii quoted on page 46 in italics). This means that they can be used on convex or concave walls - often very handy for curved bay windows. They are identical to their cheaper standard sister products, so we advise that you order standard on straight walls and only use the flexible option where you need it.



FLEXIBLE CLASSIC SKIRTING 3. FLEXIBLE PREMIER RAILING 2 (LOWER PANEL MOULD). FLEXIBLE CLASSIC RAILING 1 (HIGHER PANEL MOULD). FLEXIBLE PREMIER RAILING 25 (AS DADO).



CLASSIC SKIRTING 3. CLASSIC RAILING 1 (AS FAUX PANELS). CLASSIC RAILING 3 (AS DADO). CLASSIC CORNICE 6.

SKIRTING COMBINATIONS

To create a deep, dramatic skirting you can combine skirting and railing profiles to extend a feature up your wall.

Products can butt up to one another, but more usually they would be spaced, like in the picture on the opposite page.

Skirting runs in the usual position. You then leave a space before installing a railing and then, if you wish, a further railing above that. Simply then paint your two or three profiles, and the wall space between them the same colour. This visually combines all elements into one feature.


You can tailor the height of your feature exactly as you wish simply by where you choose to position your railing.

Remember though, your wall will need to be in good condition where it shows as part of the feature, and keep your budget in mind before you get too carried away by the possibilities!

In this section we show a few options, but there are many more that you could create for yourself. We'll send out samples, within reason, so you can test your creation before you buy.

- 2m lengths.
- Use Fix Pro or Fix Hydro and Fix Extra adhesives.


Skirting Combination 1



Skirting Combination 1 combines:
 Classic Railing 1: Height: 2.5cm, Projection: 1.3cm
 Classic Skirting 3: Height: 14cm, Projection: 1.8cm

Probably the cheapest and simplest combination option. Classic Railing 1 can butt up to Classic Skirting 3. More usually though you would space 5cm to 20cm apart.

Skirting Combination 2




Skirting Combination 2 combines:
 Premier Railing 1: Height: 3cm, Projection: 1cm
 Classic Skirting 4: Height: 15cm, Projection: 1.6cm

A more contemporary feel than Skirting Combination 1. Works best with Premier Railing 1 spaced 5cm to 20cm above Classic Skirting 4.



SKIRTING COMBINATION 5.

Skirting Combination 3



Skirting Combination 3 combines:
 Classic Railing 1: Height: 2.5cm, Projection: 1.3cm
 Classic Railing 3: Height: 4cm, Projection: 2cm
 Classic Skirting 3: Height: 14cm, Projection: 1.8cm

Combines three profiles to create drama similar to Combination 4, but at a fraction of the cost. Works best when the elements are spaced.

Skirting Combination 4



Skirting Combination 4 combines:
 Premier Railing 6: Height: 6cm, Projection: 2.5cm
 Premier Railing 10: Height: 10cm, Projection: 2cm
 Classic Skirting 3: Height: 14cm, Projection: 1.8cm

See picture opposite - a truly dramatic feature. Works best when the elements are spaced.

Skirting Combination 5



Height: 14cm, Projection: 1.8cm
 8mm deep cavity to run wiring behind.
 Flexible option: min. radius 0.5m

Skirting Combination 5 combines:
 Classic Railing 4: Height 6cm, Projection: 2.7cm
 Classic Railing 1: Height 2.5cm, Projection: 1.3cm
 Classic Skirting 3: Height 14cm, Projection: 1.8cm

Spacing works best with this cost effective combination.



SKIRTING COMBINATION 4 (CLASSIC SKIRTING 3, PREMIER RAILING 10 & PREMIER RAILING 6).

ANTIQUE WOOD EFFECT RAILING, ARCHITRAVE & SKIRTING

Truly magnificent. Not cheap, but a fraction of the price of genuine salvaged period oak features.

- Moulded from original antique oak features.
- Every detail of the original carving preserved.
- Unlike wood, will not 'move' after installation.
- Water resistant.
- Hand finished for authenticity, in a variety of colours.
- Lightweight and easy to install.
- Durable and shock resistant.

To achieve a genuinely authentic appearance (and it is truly magnificent), we use rubber moulds to capture every detail of the original carving, and mould and hand stain to order. This does mean that this range takes a little longer to supply so you should allow 3 to 4 weeks. Please also note that sizes may vary minimally from those shown.

FINISH OPTIONS



Wood Effect Railing 1



Height: 5cm, Projection: 3.5cm, Length: 300cm

Wood Effect Railing 2



Height: 6.3cm, Projection: 4cm, Length: 282cm

Wood Effect Railing 3



Height: 7.5cm, Projection: 3.8cm, Length: 200cm

Wood Effect Railing 4



Height: 7.6cm, Projection: 1.9cm, Length: 193cm

Wood Effect Railing 5



Height: 8.5cm, Projection: 3cm, Length: 328cm

Wood Effect Railing 6



Height: 8.9cm, Projection: 1.9cm, Length: 198cm

Wood Effect Railing 7



Height: 9.5cm, Projection: 2cm, Length: 185.4cm

Wood Effect Railing 8



Height: 11.4cm, Projection: 1.9cm Length: 190.5cm

Stuart Plate Rail



Height: 10cm, Projection: 11cm, Length: 269.6cm

Cottage Plate Rail



Height: 10cm, Projection: 11cm, Length: 183cm

Wood Effect Architrave 1 / Skirting 1



Height: 7.6cm, Projection: 1.9cm, Length: 193cm

Wood Effect Architrave 2



Height: 8.5cm, Projection: 3cm, Length: 328cm

Wood Effect Architrave 3 / Skirting 2



Height: 8.9cm, Projection: 1.9cm, Length: 198cm

Wood Effect Architrave 4



Height: 9.5cm, Projection: 2cm, Length: 185.4cm

Plinth for Architrave 4

NB. Picture shows Limed Oak finish.

Supplied as one piece for cutting in two.

Height: 45.5cm, Projection: 4.1cm Width: 11cm

Corners for Architrave 4



NB. Picture shows Limed Oak finish.

Height: 11.3cm, Projection: 2.8cm Width: 11.3cm

Wood Effect Architrave 5



NB. Picture shows Limed Oak finish.
Height: 10.4cm, Projection: 3cm, Length: 250cm

Wood Effect Architrave 6 / Skirting 3



Height: 11.4cm, Projection: 1.9cm, Length: 190.5cm

Wood Effect Architrave 7



Height: 17.8cm, Projection: 2.5cm
Length: 289cm, Pattern repeated every 36cm

Wood Effect Architrave 8



Height: 18.5cm, Projection: 7cm
Length: 246cm

Plinth for Architrave 8

Supplied as one piece for cutting in two.
Height: 64.5cm, Projection: 7cm
Width: 20cm

Wood Effect Skirting 4



Height: 20cm, Projection: 3.2cm, Length: 300cm

Corner for Wood Effect Skirting 4

Wood Effect Skirting 4 can be mitred on corners. However, to make installation easier and provide an attractive feature, there is an optional corner piece. This is supplied taller than the skirting, to be cut down to size on site.

It also projects further than Skirting 4 and therefore stands approx. 0.5cm proud of it. 5cm across face.

Wood Effect Skirting 5



Height: 34.5cm, Projection: 3.5cm
Length: 292.5cm

CEILING FEATURES

From small embellishments to grand features, your ceiling can make a bold statement and shouldn't be overlooked. Not only do we offer more easy fit ceiling roses than any other online retailer, but we also have some great products to take your ceiling design to another level.

CEILING ROSES

The beauty of plaster without the drawbacks.


- Indistinguishable from plaster.
- Perfect for DIY – installs simply using adhesives.
- Lightweight – one person can install.
- Easy to drill/cut.
- Durable and shock resistant.
- Pre-primed surface requires only one coat of paint.
- Water resistant - suitable for use in bathrooms.

HOW TO SIZE YOUR CEILING ROSE

Traditionally, a ceiling rose would measure between two thirds and full width of the chandelier that hangs from it.

To help you to select the correct size for you, we show three dimensions:

- A. The overall diameter.
- B. The overall depth, or projection.
- C. The diameter of the central section.



SMALL ROSES

- Use Fix Pro or Fix Hydro adhesive.

Rose 21

- A. 15cm
- B. 4cm
- C. 2cm



Rose 22

- A. 19cm
- B. 4cm
- C. 3cm



Rose 23

- A. 20cm
- B. 2cm
- C. 1cm



Rose 24

- A. 22cm
- B. 3cm
- C. n/a



Rose 1

- A. 26cm
- B. 2.5cm
- C. 5cm



Rose 25

- A. 28.5cm
- B. 3.5cm
- C. 2.5cm



Rose 26

- A. 32cm
- B. 4cm
- C. 19cm



Rose 3

- A. 33.5cm
- B. 5cm
- C. 2.5cm



Rose 4

- A. 38cm
- B. 3.5cm
- C. 5cm



Rose 27

- A. 38.5cm
- B. 3cm
- C. 3.5cm



MEDIUM ROSES

- Use Fix Pro or Fix Hydro adhesive.

Rose 5

- A. 40cm
- B. 2.5cm
- C. 2.5cm



Rose 8

- A. 46cm
- B. 3.5cm
- C. 6.5cm



Rose 9

- A. 48.5cm
- B. 4cm
- C. 6cm



Rose 10

- A. 49cm
- B. 5cm
- C. 7cm



Rose 34

- A. 53.5cm
- B. 4cm
- C. 3cm



Rose 35
A. 54.5cm
B. 3.5cm
C. 43cm



Rose 15
A. 70cm
B. 4cm
C. 8cm



Rose 40
A. 79cm
B. 4cm
C. 8cm



Rose 73
A. 45.5cm
B. 3.5cm




Rose 36
A. 77x52.5cm
B. 4cm



Rose 39
A. 71cm
B. 4.5cm
C. 19cm



Rose 41
A. 95.5cm
B. 8cm
C. 7cm



Rose 74
A. 51cm
B. 4cm



Rose 12
A. 62cm
B. 4cm
C. 10.5cm



Rose 16
A. 71.5cm
B. 4cm
C. 6cm



Rose 37
A. 62cm
B. 4.5cm
C. 10.5cm



Rose 51
A. 51.5cm
B. 3cm
C. 15cm



ENGLISH COLLECTION

• Use Decor Grip or Hybrid adhesive.

Rose 42
A. 20cm
B. 2.4cm
C. 6cm



Rose 75
A. 52cm
B. 3.5cm



Rose 57
A. 66cm
B. 3cm
C. 9.5cm



Rose 69
A. 34cm
B. 2.5cm
C. 4cm




LARGE ROSES

• Use Fix Pro or Fix Hydro adhesive.

Rose 38
A. 68.5cm
B. 3.5cm
C. 2cm



Rose 17
A. 74.5cm
B. 3.5cm
C. 10cm



Rose 43
A. 30cm
B. 2.5cm
C. 9cm



Rose 52
A. 53cm
B. 2.5cm,
C. 2.5/5cm



Rose 76
A. 70cm
B. 6cm
C. 10cm



Rose 70
A. 56cm
B. 3cm
C. 7cm



Rose 14
A. 69.5cm
B. 3.5cm
C. 12.5cm



Rose 18
A. 75cm
B. 4.5cm
C. 9cm



Rose 44
A. 30cm
B. 2.5cm
C. 6.5cm



Rose 54
A. 56cm
B. 3cm
C. 7cm




Rose 77
A. 71cm
B. 6.5cm
C. 10cm



Rose 71
A. 64 x 44.5cm
B. 2.5cm
C. 9.5cm



Rose 72
A. 59cm
B. 2.5cm
C. 10cm



ROSE 10

Rose 61
A. 77cm
B. 3cm
C. 8cm



Rose 62
A. 97cm
B. 5cm
C. 8.5cm



ART DECO ROSES

• Use Decor Grip or Hybrid adhesive.

Rose 69
A. 34cm
B. 2.5cm
C. 4cm




Rose 70
A. 56cm
B. 3cm
C. 7cm



Rose 71
A. 64 x 44.5cm
B. 2.5cm
C. 9.5cm



Rose 72
A. 59cm
B. 2.5cm
C. 10cm



CONTEMPORARY ROSES

- Use Decor Grip or Hybrid adhesive.

Rose 63

A. 55cm
B. 6cm
C. 10.5cm



Rose 64

A. 55cm
B. 6cm
C. 9cm



Rose 66

A. 51cm
B. 3cm

Use with LED's, as shown (not supplied).



Rose 67

A. 55cm
B. 3cm

Use with spotlight, as shown (not supplied).



Rose 68

A. 62cm
B. 7cm

Use with standard bulb, as shown (not supplied).



PLASTER CEILING ROSES

The finest quality plaster. The crispest moulds.

- Crisp, deep moulds.
- Use Plaster Adhesive and Plaster Filler.
- Finest quality dense plaster for easier installation.

Due to the fragile nature of plaster we cannot entrust it to the national carriers, so we use factory transport. It is also usually made to order.

This means that you should allow up to 4 weeks* for delivery (sometimes longer in more remote areas), and that delivery costs are higher. Should you have any queries, please call us.

INNER COMPONENTS

Inner Components can be used as ceiling roses in their own right, but more usually they are combined with our Outer Components.

Plaster Inner 1

Outer diameter: 35.5cm



Plaster Inner 2

Outer diameter: 35.5cm
Inner diameter: 10cm



Plaster Inner 3

Outer diameter: 35.5cm
Inner diameter: 25cm



OUTER COMPONENTS

Plaster Rose 1

Outer diameter: 58.5cm
Inner diameter: 35.5cm



Plaster Rose 2

Outer diameter: 59.5cm
Inner diameter: 35.5cm



Plaster Rose 3

Outer diameter: 61.5cm
Inner diameter: 35.5cm



Plaster Rose 4

Outer diameter: 61.5cm
Inner diameter: 35.5cm



Plaster Rose 5

Outer diameter: 64.5cm
Inner diameter: 35.5cm



Plaster Rose 6

Outer diameter: 67cm
Inner diameter: 35.5cm



Plaster Rose 7

Outer diameter: 71cm
Inner diameter: 35.5cm




CEILING DOMES

So much easier and faster to install than plaster.

- Indistinguishable from plaster.
- Lightweight.
- Durable and shock resistant.
- Pre-primed surface requires only one coat of paint.
- Water resistant - suitable for use in bathrooms.
- Use Fix Pro or Fix Hydro adhesive.

Dome 1



Surface mounted

Outer width: 89.5cm, Indent width: 63cm, Projects: 11cm.

Dome 2



Recess fit

Outer width: 74.5cm, Indent width: 63cm, Recess width: 68.5cm, Depth: 9.5cm.

Dome 3



Recess fit

Outer width: 132cm, Indent width: 114cm, Recess width: 124cm, Depth: 33cm.



CEILING ROSE 9.



CEILING ROSE 39.



CEILING DOME 3.



CONTEMPORARY ROSE 66 (AS WALL ART).

DECORATIVE CEILINGS

You can use panel mouldings to create shapes on your ceiling in the same way that you can on walls. To view specific profiles please take a look at Faux Panels on page 32 and Railing on pages 40 and 41. And don't forget, if you want to make rounded shapes many of our railings have flexible options that can curve to create the shape you require.


For a shallow Coffered Ceiling look, you can use our Multi Mould profiles, which you'll find on page 34.



CLASSIC RAILING 1 WITH 2 X CORNERS. PREMIER CORNICE 71 DECORATIVE CORNER.



PREMIER RAILING 10 & FLEXIBLE PREMIER RAILING 10.



CLASSIC RAILING 3 WITH CEILING ROSE 35. POLYSTYRENE PLUS CORNICE 12.



MULTI MOULD 3 ON CEILING. PREMIER CORNICE 1 UNDER PREMIER CORNICE 39. PREMIER RAILING 2 AS FAUX PANELS ON WALL. CLASSIC SKIRTING 3.

OTHER ARCHITECTURAL FEATURES

From small decorative embellishments to large focal point mouldings, we have more easy fit architectural features than any other online company. You're sure to find inspiration here and don't forget, if you need any help just give us a call.

MISCELLANEOUS FEATURES

The beauty of plaster without the drawbacks.

- Indistinguishable from plaster.
- Perfect for DIY – installs simply using adhesives.
- Lightweight – one person can install.
- Durable and shock resistant.
- Pre-primed surface requires only one coat of paint.
- Water resistant – suitable for use in bathrooms.

CORBELS & SHELF

- Use Fix Pro or Fix Hydro adhesive.

Shelf 2



Height: 13.5cm, Width (at top): 90.5cm, Width (at bottom): 75cm, Projection (at top): 14cm, Projection (at bottom): 6cm.

NB Shelf 2 has a groove running across its top surface to allow plates to be displayed on it.

Corbel 8



Height: 15.5cm
Max Width: 11.5cm
Projection: 7cm

Corbel 1



Height: 22cm
Max Width: 10cm
Projection: 7cm

Corbel 2



Height: 22.5cm
Max width: 16cm
Projection: 8.5cm

Corbel 11



Height: 31.5cm
Max Width: 19.5cm
Projection: 11.5cm

Corbel 5



Height: 35cm
Max width: 30cm
Projection: 17.5cm

Corbel 6



Height: 40cm
Max width: 22.5cm
Projection: 13cm

Corbel 7



Height: 50cm
Max width: 19.5cm
Projection: 16cm

CORBEL 5



CORBEL 7



PEDIMENTS

Beautiful, impactful mouldings to use over doors and other features.

- Use Fix Pro or Fix Hydro adhesive (and Fix Extra if cutting to size and joining).

Pediment 1



Height: 25cm, Top width: 124cm, Bottom width: 113cm, Projection: 9cm.

Pediment 3



Height: 32cm, Width: 99cm, Projection: 2cm.

Pediment 6



Height: 21.5cm, Width: 92cm, Projection: 4cm.

Pediment 7



Height: 25cm, Width: 105cm, Projection: 3.5cm.

Pediment 8



Height: 14.5cm, Top width: 127.5cm, Bottom width: 122cm, Projection: 5.5cm

Pediment 9



Height: 14.5cm, Top width: 127.5cm, Bottom width: 122cm, Projection: 5.5cm

Keystone



Height: 14.5cm, Width: 12cm (top) 7cm (bottom), Projection: 6cm

Keystone can be used as a feature in its own right, or to cover a join where either pediment 8 or 9 have been cut down to size, or where two pediments are placed side by side to achieve wider widths.



PEDIMENT 1. PILASTER 3. WALL LIGHT 1.

WALL DECORATIONS

- Use Fix Pro or Fix Hydro adhesive.

Wall Decoration 1

Height: 14cm
Width: 17cm
Projection: 1.5cm




Wall Decoration 2

Height: 4.5cm
Width: 40cm
Projection: 1.5cm



Run wall decorations 1 & 2 together to create your feature, like this:



Ceiling Roses can make great wall decorations, too. Below left shows our Rose 23 used to embellish an extended skirting feature, and to the right is Rose 63 as contemporary wall art.



Embellishment 1

Height: 6.5cm
Width: 6.5cm
Projection: 0.9cm



Embellishment 2

Diameter: 6.5cm
Projection: 0.8cm



Embellishment 3

Height: 9cm
Width: 9cm
Projection: 1.3cm



Embellishment 4

Width: 9.5cm
Height: 9.5cm
Projection: 3cm



Embellishment 5

Width: 9.5cm
Height: 9.5cm
Projection: 3.5cm



RECESSED NICHES

A more traditional recessed fit, for extra depth.

- Recess fit.
- Supplied in three parts – fascia, recessed section and shelf.
- Translucent shelf so 60W bulb can be installed underneath for an ambient glow.
- Use Fix Pro or Fix Hydro adhesive.



Niche 6

Height: 112.5cm
Width: 69cm
Projection: 11cm
Internal height: 94.5cm
Internal width: 51.5cm
Recessed section: Height: 97.5cm
Width: 55cm
Depth: 18cm



Niche 8

Height: 113cm
Width: 69cm
Projection: 11cm
Internal height: 94.5cm
Internal width: 49.5cm
Recessed section: Height: 98.5cm
Width: 55cm
Depth: 18cm



Niche 7

Height: 112.5cm
Width: 69cm
Projection: 11cm
Internal height: 94.5cm
Internal width: 51.5cm
Recessed section: Height: 97.5cm
Width: 55cm
Depth: 18cm



Niche 9

Height: 113cm
Width: 69cm
Projection: 11cm
Internal height: 94.5cm
Internal width: 49.5cm
Recessed section: Height: 97.5cm
Width: 55cm
Depth: 18cm

FIRE SURROUNDS

- Use Fix Pro or Fix Hydro adhesive.




NB: These fireplaces make beautiful features, but cannot be used where a fire has an open flame. We recommend them for use either purely decoratively, or with an electric fire.



Fireplace 3

Supplied as 2 separate legs and mantel.
Height: 114.5cm, Width: 129.5cm,
Projection: 20.5cm
Inner Height: 84cm, Inner Width: 88cm
Mantel Height: 31cm, Width: 129.5cm,
Projection: 20.5cm
Leg Height: 87.5cm, Width: 20cm,
Projection: 17.5cm



FIREPLACE 3.



NICHE 6.



NICHE 7.



Fireplace 4

Supplied as 2 separate legs and mantel.
Height: 110cm, Width: 129cm,
Projection: 20cm
Inner Height: 86cm, Inner Width: 89.5cm
Mantel Height: 24cm, Width: 129cm,
Projection: 20cm
Leg Height: 86cm, Width: 15cm,
Projection: 17cm



FIREPLACE 4.

LIBRARY SYSTEM

A beautiful, arched alcove facing system.

- Indistinguishable from plaster.
- Perfect for DIY – installs simply using adhesives.
- Lightweight – one person can install.
- Durable and shock resistant.
- Pre-primed surface requires only one coat of paint.
- Use Fix Pro or Fix Hydro and Fix Extra adhesives.

Foot

Height: 26cm, Width: 9.5cm, Projection: 4cm

Vertical Section

Length: 200cm, Width: 9cm, Projection: 3cm

Large Joint Cover

Height: 5cm, Width: 22.5cm, Projection: 5cm

Horizontal Sections (left and right)


Height: 32cm, Width: 64.5cm, Projection: 3cm

Keystone

Height: 11.5cm, Width: 8.5cm, Projection: 4.5cm

Small Joint Cover

Height: 5cm, Width: 12.5cm, Projection: 5cm



ARCHWAY

A beautiful archway kit to fit virtually any square opening.

** Please note, we are selling fewer archways as time goes on and so may discontinue them at some point. Please call or see website to check availability.

- Uses 5 component parts to fit virtually any opening.
- Indistinguishable from plaster.
- Perfect for DIY – installs simply using adhesives.
- Lightweight – one person can install.
- Durable and shock resistant.
- Pre-primed surface requires only one coat of paint.
- Use Decor Grip or Hybrid adhesive.

Left & Right Curves

Height: 790mm
Width: 492mm

Outer Straight

Length: 1.8m
Width: 75mm

Inner Straight


Length: 1.8m
Width: 144mm
(4mm of this is to allow for rebates, so effective width is 140mm).

Frame Rail

Height: 40mm
Projection: 20mm

Inner Curve

Height: To match Left and Right Curves
Width: 144mm
(4mm of this is to allow for rebates, so effective width is 140mm).



HOW TO MEASURE & ORDER

1. MEASURE THE HEIGHT, WIDTH AND DEPTH OF YOUR OPENING.
2. ESTABLISH HOW MANY LEFT AND RIGHT CURVES YOU REQUIRE.
 - If your arch is running left and right and on both front and back walls you will require 2 of each.
3. ESTABLISH HOW MANY INNER CURVES YOU REQUIRE.
 - The working width of your first Inner Curve is 140mm (the actual width is 144mm, but you will lose 4mm on installation to allow for 2mm of rebate either side).
 - The working width of any additional Inner Curves is 144mm.
 - Therefore, if the depth of your opening is 140mm or less you will require 2 Inner Curves (one for the left side, and one for the right). If it is 141mm to 284mm you will require 4, and so on.
4. ESTABLISH HOW MANY OUTER STRAIGHTS YOU REQUIRE.
 - The curves have a height of 790mm, so deduct this from your height measurement. Then multiply this figure by 2 to allow for left and right.
 - The curves have a width of 492mm, so with these running right and left deduct 984mm from your width measurement.
 - Add the two figures you now have together, and multiply by 2 to allow for the front and back of your archway.
 - You now have the total length of Outer Straight you require. If you are happy to join and fill to make good, simply order the number of 1.8m lengths you require to make up this measurement. If you would rather not join simply order separately for each run.
5. ESTABLISH HOW MANY LENGTHS OF INNER STRAIGHT YOU REQUIRE.
 - Deduct 790mm from your height measurement, and multiply by 2.
 - Deduct 984mm from your width measurement.
 - Add these figures together, and work out how many 1.8m lengths you would require.
 - If the depth of your opening is 140mm or less you will require the number of Inner Straights you have come to above. If it is 141mm to 284mm you need to double that number, and so on.
6. DECIDE WHETHER YOU REQUIRE FRAME RAIL TO FRAME THE SQUARED OFF SECTION ON THE CURVES (SEE MAIN PIC BELOW). ONE LENGTH WILL BE AMPLE.
7. ORDER ADHESIVE, ALLOWING FOR 1 TUBE FOR EVERY 3 COMPONENTS.



ARCHWAY ARCHITRAVE

Our flexible railing (see pages 40 & 41) can also be used to curve around an existing archway as an architrave. You will need to calculate the radius of your curve to establish which architraves you may be able to use (it is the min. radius 2 that we quote that shows the tightest radius each railing will bend to when used in this way). If you don't know the radius of your curve there is an equation on our website that shows how to calculate it, but keep in mind that the tightest radius we can accommodate is 0.6m. So, if your opening has a full semi circle over it, it will need to be at least 1.2m wide before we can help.



FLEXIBLE PREMIER RAILING 19.

WALL LIGHTS

The beauty of plaster, without the drawbacks.

- Indistinguishable from plaster.
- Lightweight - one person can install.
- Durable and shock resistant.
- Pre-primed surface requires only one coat of paint.
- Sold with electrical fixings.




WALL LIGHT 3.

WALL UPLIGHTS

- Use Fix Pro or Fix Hydro adhesive.

Our wall uplights are suitable for use with the following bulbs:



max. 15W/230V max. 60W/230V max. 60W/230V

Wall Light 1



Height: 11.5cm, Width: 41cm,
Projection: 16.5cm

Wall Light 3



Height: 15cm, Width: 30.5cm,
Projection: 15cm


PILASTERS

The beauty of plaster, without the drawbacks. Beats grp, too.

- Beautiful plaster effect finish – not rough or pitted like other materials.
- Interior or exterior use – water / humidity resistant.
- Suitable for DIY – light enough to be easily handled and installed in a fraction of the time of plaster.
- Durable & shock resistant – not brittle and prone to damage like plaster & grp.
- Pre-primed surface requires only one coat of paint.
- Use Fix Pro or Fix Hydro and Fix Extra adhesives.



PILASTER 2.



PILASTER 5.



Pilaster 1

Max. height: 288.5cm
Dimensions
(height x max width x max depth)
Capital: 35.5cm x 43cm x 9cm
Shaft: 200cm x 27cm x 2.5cm
Base: 53cm x 39cm x 7cm




Pilaster 4

Max. height: 269.5cm
Dimensions
(height x max width x max depth)
Capital: 16.5cm x 40cm x 7.5cm
Shaft: 200cm x 29cm x 3cm
Base: 53cm x 39cm x 7cm



Pilaster 2

Max. height: 266.5cm
Dimensions
(height x max width x max depth)
Capital: 13.5cm x 47cm x 6.5cm
Shaft: 200cm x 27cm x 2.5cm
Base: 53cm x 39cm x 7cm



Pilaster 5

Max. height: 276cm
Dimensions
(height x max width x max depth)
Capital: 22cm x 34cm x 9.5cm
Shaft: 200cm x 19.5cm x 2cm
Base: 54cm x 24.5cm x 4cm



Pilaster 3

Max. height: 269cm
Dimensions
(height x max width x max depth)
Capital: 15cm x 23cm x 6cm
Shaft: 200cm x 13.5cm x 2cm
Base: 54cm x 18.5cm x 4cm



Pilaster 6

Max. height: 276.5cm
Dimensions
(height x max width x max depth)
Capital: 22.5cm x 35cm x 10cm
Shaft: 200cm x 19.5cm x 2cm
Base: 54cm x 24.5cm x 4cm



ANTIQUE WOOD EFFECT CORBELS, SHELF & FIRE SURROUNDS

The beauty of antique oak, without the drawbacks.

- Moulded from original antique oak features.
- Unlike wood, will not 'move' after installation.
- Every detail of the original carving preserved.
- Water resistant.
- Lightweight and easy to install.
- Unlike wood, will not 'move' after installation.
- Durable and shock resistant.

To achieve a genuinely authentic appearance (and it is truly magnificent), we use rubber moulds to capture every detail of the original carving, and mould and hand stain to order. This does mean that this range takes a little longer to supply so you should allow 3 to 4 weeks. Please also note that sizes may vary minimally from those shown.



Cottage Shelf

Height: 20cm, Projection: 17cm, Length: 142.5cm



Wood Effect Corbel 1 (pair)

Height: 18cm
Projection: 4.5cm
Width: 4.5cm

NB. Shown in Jacobean Oak



Wood Effect Corbel 2

Height: 22cm
Projection: 7.5cm
Width: 16.4cm

NB. Shown in Jacobean Oak



Wood Effect Corbel 3

Height: 25cm
Projection: 10.5cm
Width: 10cm

NB. Shown in Jacobean Oak



Wood Effect Corbel 4

Height: 33.5cm
Projection: 10.5cm
Width: 9.5cm


NB. Shown in Jacobean Oak



Wood Effect Corbel 5

Height: 46cm
Projection: 28.3cm
Width: 22.7cm

NB. Shown in Jacobean Oak



Wood Effect Corbel 6

Height: 49.7cm
Projection: 18.5cm
Width: 31.5cm

NB. Shown in Jacobean Oak



Corbel 7

Height: 56.5cm
Projection: 27cm
Width: 26cm

NB. Plaster style, rather than woodgrain, and supplied unstained for painting or staining on site.



Wood Effect Corbel 8

Height: 72cm
Width: 19cm
Projection: 10cm

NB. Shown in Limed Oak.



Wood Effect Corbel 9

Height: 84cm
Width: 17cm
Projection: 12.5cm

NB. Shown in Jacobean Oak.



Fireplace 1

Legs
Height: 105.5cm (max) / 95.5cm (min)
Width: 21cm, Projection: 9cm (max)

Mantel
Height: 18cm, Projection: 20cm
Width: 137.5cm



Fireplace 2

Legs (supplied as 1 piece for you to cut into 2 legs as appropriate)
Height: 372cm, Width: 15cm,
Projection: 13cm

Mantel
Can be supplied with or without legs
Height: 17cm, Projection: 20cm (approx).
Width: 180cm (to your specification - max shown).
Can be supplied as full surround, or as mantel only.

FINISH OPTIONS



FAUX LEATHER BOUND BOOK SPINES

Recreate an antique library.

- Moulded from original antique, leather-bound books with mixed titles.
- Hand painted in a variety of antiqued colours, many featuring gilt embossing.
- Much higher quality than cheap imported options.
- Adaptable to fit any shelf unit.

Please note that because these products are hand painted they may be coloured differently from the photography shown here.

Book Spines 4



Height: 216mm, Depth: 45mm, Length: 840mm, reducing to 533mm when separated.

Supplied as 1 set of 17 books. These are designed with a separating foam spacer between each book to be cut and removed to split the row down into individual books.

Book Spines 5



Height: 255mm, Depth: 40mm, Length: 487mm

Supplied as 1 set of 10 books. On installation these can be left joined or separated. If separated the inner core will be exposed which can be concealed by the shelf end or and individual spine from models 4, 6 or 8.

Book Spines 6



Height: 280mm, Depth: 45mm, Length: 432mm, reducing to 330mm when separated.

Supplied as 1 set of 8 books. These are designed with a separating foam spacer between each book to be cut and removed to split the row down into individual books.

Book Spines 7



Height: 280mm, Depth: 40mm, Length: 512mm

Supplied as 1 set of 7 books. On installation these can be left joined or be separated. If separated the inner core will be exposed which can be concealed by the shelf end or and individual spine from models 4, 6 or 8.

Book Spines 8



Height: 330mm, Depth: 50mm, Length: 216mm, reducing to 178mm when separated.

Supplied as 1 set of 3 books. These are designed with a separating foam spacer between each book to be cut and removed to split the row down into individual books.


Book Spines 1



Height: 172mm, Depth: 30mm, Length: 415mm

Supplied as 2 sets of 6 books. On installation these can be left joined or be separated. If separated the inner core will be exposed which can be concealed by the shelf end or and individual spine from models 4, 6 or 8.

Book Spines 2



Height: 190mm, Depth: 35mm, Length: 422mm


Supplied as 1 set of 15 books. On installation these can be left joined or separated. If separated the inner core will be exposed which can be concealed by the shelf end or and individual spine from models 4, 6 or 8.

Book Spines 3



Height: 196mm, Depth: 30mm, Length: 460mm

Supplied as 1 set of 10 books. On installation these can be left joined or separated. If separated the inner core will be exposed which can be concealed by the shelf end or an individual spine from models 4, 6 or 8.



HOW TO MEASURE

1. Spines do not have the full depth of a book. To disguise this you will need to run the full width of your shelf. Measure this width.
NB. You can mix in spines with real books to reduce the width of spines you would require.
2. Any odd widths can be made up from Book Spines 4, 6 or 8 which are designed to be broken down into individual books. Small disparities can easily be 'lost in shadow' at the end of a row. You can also place a spine at an angle to rest to make up space at the end of a row.
3. Measure the height of your shelf. Keep in mind that book spines can be laid horizontally on top of other spines, as you would often find in a library, should you wish to make up more height.
4. Once you have established width and height requirements, order accordingly.

HOW TO INSTALL

1. To increase the perception of depth paint or stain your back panel a dark colour.
2. You can attach the spines to this back panel. When doing this it is often best to move the panel forward so that the spines are not set too far back in the shelf.
3. You can also mount spines onto brackets (you will need to use this method if you are hiding paperbacks) or, if mixing with real books, prop them with those books (although be aware that they will fall should the real books be removed).

BEAMS, JOISTS & PLANKS

This stunning range exactly replicates the look of antique beams. Rubber moulds capture every detail of the original timber, its woodgrain and even the marks left by the tradesman's tools. Skilled craftsmen then hand stain each piece to complete the authenticity. Truly magnificent.

ANTIQUO OAK EFFECT BEAMS

The beauty of antique oak, without the drawbacks.

- Indistinguishable from antique oak. Moulded from original beams. Every detail preserved.
- Unlike wood, will not 'move' after installation.
- Water resistant.
- Hand finished for authenticity, in a variety of colours.
- Lightweight and easy to install.
- Durable and shock resistant.

FINISH OPTIONS



Main Beam 1



Length: 546cm (full length)
366cm (2/3 length)
273cm (1/2 length)
180cm (1/3 length)
Width: 17cm
Depth: 26cm (max) / 19cm (min)
Internal width: 11.5cm (min)
Internal depth: 12cm (min)




Main Beam 2



Length: 300cm
Width: 17.5cm
Depth: 12.8cm
Internal width: 13cm
Internal depth: 11cm



B2 Simulated Iron Bracket



Use to cover the joint when joining one length of Main Beam 2 to another.

Main Beam 3

Similar in appearance to Main Beam 2, but smaller.

Length: 244cm
Width: 12.5cm
Depth: 10cm
Internal width: 7cm
Internal depth: 6.5cm



B3 Simulated Iron Bracket



Use to cover the joint when joining one length of Main Beam 3 to another.

Intermediate Beam (old style)



Beautifully 'gnarled', these are moulded on all four sides so can also be used as posts when all four sides are visible. They can also be supplied split down their lengths to make shallower, half depth beams.

Length: 372cm
Width: 15cm
Depth: 15cm



Intermediate Beam (new style)



More symmetrical and less gnarled than the Old Style Intermediate Beams, these are also moulded on 4 sides and can also be supplied split lengthways to half depth.

Length: 372cm
Width: 15cm
Depth: 13cm



Simulated Riveted Iron Strap

For joining Intermediate Beams. Made from rubber and silver/grey in colour, these are 1m long and can easily be cut to size and used for multiple joints.

6ft Joists



Supplied as 6 different models to avoid repetition. Length: 180cm, Width: 7.5cm, Depth: 7.5cm

6ft 6" Joists



Supplied as 3 different models to avoid repetition. Length: 200cm, Width: 7cm, Depth: 5cm

10ft Joists



Supplied as 3 different models to avoid repetition. Generally cut down to make 2 x 5ft joists or can be used for 7 to 8ft joists (rarely used as 10ft). Length: 304.8cm, Width: 7.5cm, Depth: 5cm



- 1 Main Beam 1
- 2 New Style Intermediate Beam
- 3 Half Depth Old Style Intermediate Beam
- 4 Joists
- 5 Hammer Beam Corbel with Medieval Figure
- 6 Planks
- 7 Cottage Plate Rack
- 8 Fireplace 1

COVERING AN RSJ

If you have an RSJ it will generally be covered with plasterboard and be of a size that will dictate that it becomes your main beam. (Building regulations actually now require new RSJ's be clad in plasterboard to protect them from fire.)

We have 3 options to cover it:

- The Great Beam (the size of this is better suited to larger rooms with large RSJ's).
- Beam Cladding Planks.
- Sometimes our standard main beams can cover smaller RSJ's or pipes (see the internal specification information shown with each product).



Great Beam (full length)


Length: 630cm
Width: 30cm
Depth: 30cm
Internal width: 20cm (min)
Internal depth: 26cm (min)

Great Beam (3/4 length)

Length: 480cm
Width: 30cm
Depth: 30cm
Internal width: 20cm (min)
Internal depth: 26cm (min)

Great Beam (1/2 length)

Length: 320cm
Width: 30cm
Depth: 30cm
Internal width: 20cm (min)
Internal depth: 26cm (min)



Beam Cladding Plank (full length)


Length: 585cm
Width: 34.5cm
Depth: 3.5cm

Beam Cladding Plank (3/4 length)

Length: 400cm
Width: 34.5cm
Depth: 3.5cm

Beam Cladding Plank (1/2 length)

Length: 292.5cm
Width: 34.5cm
Depth: 3.5cm



BEAM CORBELS

Add corbels for a perfect finishing touch.



Hammer Beam Corbel

Height: 45.5cm
Width: 12.5cm
Projection: 38cm



Medieval Figure

Designed to be used with the Hammer Beam Corbel when additional decoration is required. We supply as a selection of mixed figures.

Height: 44cm, Width: 18cm, Depth: 9cm



Joist Corbel

Height: 25cm
Width: 7.5cm
Projection: 25cm



Main/Intermediate Beam Corbel

Designed to be cut into 2 and used either end of your beam. Using one half vertically and the other horizontally can make an attractive feature.

Height: 91.5cm, Width: 15cm, Projection: 15cm

WALL PLANKS



8" Plank

Length: 300cm, Width: 20cm, Depth: 2cm

7" Plank

Length: 300cm, Width: 18cm, Depth: 2cm

6" Plank

Length: 300cm, Width: 15cm, Depth: 1.5cm

5" Plank

Length: 300cm, Width: 13cm, Depth: 1.5cm

4" Plank

Length: 300cm, Width: 10cm, Depth: 1.5cm

3" Plank

Length: 300cm, Width: 7.5cm, Depth: 1.5cm


Mock Oak Pegs

To add authenticity, and/or to simply cover nail or screw heads, why not use our Mock Oak Pegs. They are supplied as a sheet of 64 pegs for you to cut as required.



COLUMNS & EXTERIOR MOULDINGS

Perfect for interior or exterior applications you'll find our full columns range online, or with our extensive range of exterior architectural mouldings in our exterior mouldings brochure. For a copy, just give us a call.



We are constantly updating our range, adding and occasionally discontinuing products. To view our full current range, and up to date pricing, visit our website at **www.ukhomeinteriors.co.uk**

HOW TO ORDER

Simply call us on **0121 449 8525**, or order online at **www.ukhomeinteriors.co.uk**

TERMS & CONDITIONS

For full terms & conditions and full details of our returns policy, please visit our website.

SHOWROOM

Unfortunately, as a mail order company, we don't have a showroom. If you would like to visit us anyway, please do give us a call first to make an appointment so that we can ensure that someone will be available to see you.



27 WOODBRIDGE ROAD MOSELEY BIRMINGHAM B13 8EH
T: 0121 449 8525 E: info@ukhomeinteriors.co.uk